

TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. Joint venture) Corporate Office, Burla-768017

Procedure to Participate in E-Tender

Tender Enquiry No- TPWODL/SA/O/SU/008

Tender Enquiry No	Work Description	EMD (₹)	Tender Partici pation Fee (₹)	Last Date and Time for payment of Tender Participation Fee
TPWODL/SA/ O/SU/008	Rate Contract for supply of 11 KV & 33 KV 10 KA Lightening Arrestor(LA) at TPWODL (Annexure – I enclosed)	2,00,000.00	5900 (Incl. GST)	22 nd April 2022, 15.00 Hrs.

Please note that corresponding details mentioned in this document will supersede any other details mentioned anywhere else in the Tender Document.

Procedure to Participate in Tender.

Following steps to be done before "Last date and time for Payment of Tender Participation Fee" as mentioned above

1.

a. **For Regular Bidders-** Non-Refundable Tender Participation Fee, as indicated in table above, to be submitted in the form of direct deposit in the following bank account and submit the receipt along with a covering letter clearly indicating the Tender Reference number –

Beneficiary Name : TPWODL Expenditure Account

Bank Name : Union Bank of India
Branch Name : Sambalpur Naya Para

Address : At/P.O.- Sambalpur, Dt: Sambalpur, Odisha-768

001

Branch Code : 536521

Account No. : 365201010033244

Account Type : Current

IFSC Code : UBIN0536521

b. **For MSME Category Bidders**- Bidders from MSME category shall pay Rs.1,000/- (including GST) towards cost of tender paper and have to pay only 50% EMD amount.

Local MSME Registered in the State of Odisha refer to Annexure-XI (Norms for procurement from MSMEs registered in the state of Odisha) for details of tender participation.

Interested MSME bidders are required to submit undertaking with valid registration certificate before last date and time of tender purchase.

- 2. **Authorization letter-** Eligible and Interested Bidders to submit duly signed and stamped letter on Bidder's letterhead indicating
 - a. Tender Enquiry number
 - b. Name & Address of the Bidder
 - c. Name of authorized person
 - d. Contact number
 - e. e-mail id
 - f. Details of submission of Tender Participation Fee
 - g. GST Registration No

E-mail with necessary attachment of 1 and 2 above shall be sent to sonali.acharya@tpwesternodisha.com with a copy to ajit.singh@tpwesternodisha.com before last date and time for payment of Tender Participation Fee.

Interested bidders to submit Tender Participation Fee and Authorization Letter before Last date and time as indicated above after which link from TPWODL E-Tender system (Ariba) will be shared for further communication and bid submission.

Please note all future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc. will happen only through TPWODL E-Tender system (Ariba). User manual to guide the bidders to submit the bid through E-Tender system (Ariba) is also enclosed.

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidders who have done the above step to participate in the Tender.

Also, it may be strictly noted that once date of "Last date and time for Payment of Tender Participation Fee" is lapsed no Bidder will be sent link from TPWODL E-Tender System (Ariba). Without this link BA will not be able to participate in the tender. Any last moment request to participate in tender will not be entertained.

Any payment of Tender Participation Fee by Bidder who have not done the prerequisite will not be refunded.

Also all future corrigendum's to the said tender will be informed on Tender section on website https://www.tpwesternodisha.com.



Tender Documents





OPEN TENDER NOTIFICATION


for

One Year Rate Contract for Supply of 11 KV & 33 KV 10 KA Lightening Arrestor(LA)

Tender Enquiry No.: TPWODL/SA/O/SU/008

Due Date for Bid Submission: 09-May-2022 [15:00 Hrs.]

TP Western Odisha Distribution Limited (TPWODL) Burla , Sambalpur - 768017



CONTENTS OF THE ENQUIRY

Contents

1.0	Event Information	
2.0	Evaluation Criteria5	
3.0	Submission of Bid Documents5	
4	Bid Opening & Evaluation process	
5	Award Decision9	
6	Order of Preference/Contradiction9	
7	Post Award Contract Administration9	
8	Specification and standards	
9	General Condition of Contract	
ANI	NEXURE I	
ANI	NEXURE II	
ANI	NEXURE III	
ANI	NEXURE IV	
ANI	NEXURE V	
ANI	NEXURE VI	
ANI	NEXURE VII	
ANI	NEXURE VIII	
ANI	NEXURE IX20	
ANI	NEXURE X	
ANI	NEXURE XI	

1.0Event Information

1.1. Scope of work

Open Tenders are invited from interested Bidders entering into a Rate Contract valid for **1 year** for the following:

S.	Description	EMD Amount	Tender Fee
No.		(Rs. Lac)	(Rs.)
1.	Rate Contract for Supply of 11 KV & 33 KV 10 KA Lightening Arrestor	2,00,000.00	5900 (Incl. GST)

1.2. Availability of Tender Documents

1.3. Calendar of Events

	Date of sale/ availability of tender documents		
(a)	from TPWODL Website	12.04.2022 10:00 Hours	
(b)	Last date and time of Payment of Tender Fee	22.04.2022 15:00 Hours	
(c)	Last Date of receipt of pre-bid queries, if any	27.04.2022 15:00 Hours	
(d)	Last Date of Posting Consolidated replies to all the pre-bid queries as received	01.05.2022 15:00 Hours	
	all the pre bla queries as received		
(e)	Last date and time of receipt of Bids	09.05.2022 15:00 Hours	
		Participating Bidders will get mail intimation from	
	Date & Time of opening technical bids & EMD	TPWODL E-Tender system (Ariba)when their	
(g)	(Envelope-1 & 2)	Technical Bids are opened. Refer clause 4.2 of the	
		section for details	
		Bidders will get mail intimation from TPWODL E-	
(h)	Date & Time of opening of Price of qualified bids	Tender system (Ariba) when their Price Bids are	
		opened. Refer clause 4.5 of the section for details.	

Note: In the event of last date specified for submission of bids and date of opening of bids is declared as a closed holiday for TPWODL's office, the last date of submission of bids and date of opening of bids will be the day following working day at appointed times.

1.4 Mandatory documents required along with the Bid

- 1.4.1 EMD of requisite value and validity.
- 1.4.2 Tender Fee in case the tender is downloaded from website
- 1.4.3 Requisite Documents for compliance to Qualification Criteria mentioned in Clause 1.7.
- 1.4.4 Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.

NIT: TPWODL/SA/O/SU/008

- 1.4.5 Duly signed and stamped 'Schedule of Commercial Specifications' as per Annexure-IV on bidder's letter head.
- 1.4.6 Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- 1.4.7 Copy of PAN, GST, PF and ESI Registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

Please note that in absence of any of the above documents, the bid submitted by a bidder shall be liable for rejection.

1.5. Deviation from Tender

Normally, the deviations to tender terms are not admissible and the bids with deviation are liable for rejection. Hence, the bidders are advised to refrain from taking any deviations on this Tender. Still in case of any deviations, all such deviations shall be set out by the Bidders, clause by clause in the 'Annexure III - Schedule of Deviations' and same shall be submitted as a part of the Technical Bid.

1.6. Right of Acceptance/Rejection

Bids are liable for rejection in absence of following documents:

- i. EMD of requisite value and validity.
- ii. Tender fee of requisite value.
- iii. Price Bid as per the Price Schedule mentioned in Annexure I (BOQ)
- iv. Necessary documents against compliance to Qualification Requirements mentioned at Clause 1.7 of this Tender Document
- v. Filled in Schedule of Deviations as per Annexure III
- vi. Filled in Schedule of Commercial Specifications as per Annexure IV
- vii. Receipt of Bid within the due date and time

TPWODL reserves the right to accept/reject any or all the bids without assigning any reason thereof.

1.7. Qualification Criteria

- a) The bidder should have average annual turnover of 10 Cr. or above for last 3 Financial Year out of FY 17-18, FY 18-19, FY 19-20, FY 20-21. Bidders have to submit copy of audited Balance Sheet and P&L Account in this regard.
- b) Manufacture have own in-house testing facilities for acceptance test as per technical specification. Bidder must submit undertaking in this regard. TPWODL reserves the right to inspect the said manufacturing/testing facility as a proof of compliance to this parameter.
- c) The bidder should have experience of successfully executed supply order of 50% of tender quantity of same or higher rating during last 5 Financial Year (2017-18, 2018-19, 2019-20, 2020-21, 2021-22). For this, Purchase Order/RC & RO copies along with the execution proof/completion certificates to be submitted in this regard.
- d) Performance certificate for 1 year satisfactory performance from at least 1 reputed company is to be submitted or bidder should have made satisfactory supplies to Tata Power/TPWODL. Bidders have to submit copy of such performance certificate in this regard.

NIT: TPWODL/SA/O/SU/008

e) The bidder who have earlier failed to execute the Purchase Order(s) of TPWODL/WESCO and or blacklisted by TPWODL/WESCO or any other distribution utility shall not be eligible to participate in this tender.

TPWODL reserve the right to waive minor deviation, if they do not materially affect the capability of the bidder to perform the contract.

1.8. Marketing Integrity

We have a fair and competitive marketplace. The rules for bidders are outlined in the General Condition of Contracts. Bidders must agree to these rules prior to participating. In addition to other remedies available, TPWODL reserves the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the General Condition of Contracts. A bidder who violates the market place rules or engages in behavior that disrupts the fair execution of the marketplace, may result in restriction of a bidder from further participation in the marketplace for a length of time, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honor prices submitted to the marketplace
- Breach of terms as published in TENDER/NIT

1.9. Supplier Confidentiality

All information contained in this tender is confidential and shall not be disclosed, published or advertised in any manner without written authorization from TPWODL. This includes all bidding information submitted to TPWODL. All tender documents remain the property of TPWODL and all suppliers are required to return these documents to TPWODL upon request. Suppliers who do not honor these confidentiality provisions will be excluded from participating in future bidding events.

1.0 Evaluation Criteria

- The bids will be evaluated technically on the compliance to tender terms and conditions.
- The bids will be evaluated commercially on overall BOQ basis (all-inclusive lowest cost) for the complete tender as calculated in Schedule of Items [Annexure I]. TPWODL however, reserves right to split the order item wise and/or quantity wise among more than one Bidder. Hence all bidders are advised to quote their most competitive rates against each item.

NOTE: In case a new bidder is not registered with TPWODL, factory inspection and evaluation shall be carried out to ascertain bidder's manufacturing capability and quality procedures. However, TPWODL reserves the right to carry out factory inspection and evaluation for any bidder prior to technical qualification.

In case a bidder is found as Disqualified in the factory evaluation, their bid shall not be evaluated any further and shall be summarily rejected. The decision of TPWODL shall be final and binding on the bidder in this regard.

- **2.1 Price Variation Clause:** The prices shall remain firm during the entire contract period.
- 2.0 Submission of Bid Documents

NIT: TPWODL/SA/O/SU/008

3.1 Bid Submission

Bidders are requested to submit their offer in line with this Tender document through e-tendering process.

Please note all future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc. will happen only through TPWODL E-Tender system (Ariba).

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidder who have done the above step to participate in the Tender.

Bids shall be submitted in 3 (Three) parts:

FIRST PART: "EMD" of Rs. 2,00,000/- (Rupees Two Lakh Only) shall be submitted. The EMD shall be valid for 210 days from the due date of bid submission in the form of BG / NEFT. The EMD has to be strictly in the format as mentioned in General Condition of Contract, failing which it shall not be accepted, and the bid as submitted shall be liable for rejection.

EMD shall be strictly in the format of Bank Guarantee and Original Hard Copy shall be delivered at the following address in Envelope clearly indicating Tender Reference Number, Name of Tender and Bidder Name. Please note as return of EMD from Bank Account is non-standard practice the same may take more time than return of EMD BG.

Chief (Procurement & Stores)

TP WESTERN ODISHA DISTRIBUTION LIMITED

Corporate Office, Burla-768017

Alternatively, the EMD amount can be transferred through NEFT to the below mentioned account. Receipt of the transaction shall be mailed through ARIBA to the package owner.

A/C NO.	NAME OF ACCOUNT	NAME OF THE BANK	IFS CODE	ACCOUNT TYPE
005511100001556	TP WESTERN ODISHA DISTRIBUTION LTD HQ		UBIN0800554	CURRENT CUM FLEXI A/C

SECONDPART: "TECHNICAL BID" shall contain the following documents:

- a) Documentary evidence in support of qualifying criteria
- b) Technical literature/GTP/Type test report etc. (if applicable)
- c) Testing facilities (if applicable)
- d) No Deviation Certificate as per the Annexure III Schedule of Deviations
- e) Acceptance to Commercial Terms and Conditions viz. Delivery schedule/period, payment terms etc. as per the Annexure IV Schedule of Commercial Specifications.
- f) Quality Assurance Plan/Inspection Test Plan for supply items (if applicable)

The technical bid shall be properly indexed and is to be submitted through TPWODL E-tender System (Ariba) only. Hard Copy of Technical Bids need not be submitted.

THIRDPART: "PRICE BID" shall contain only the price details and strictly in format as mentioned in Annexure I along with explicit break up of basic prices, Taxes & duties, Freight etc. In case any discrepancy is observed between the item description stated in Schedule of Items mentioned in the tender and the price bid submitted by the bidder, the item description as mentioned in the tender document (to the extent modified through Corrigendum issued if any) shall prevail.



NIT: TPWODL/SA/O/SU/008

Price Bid is to be submitted in soft copy through TPWODL E-Tendering system (Ariba) only. Hard copy of Price Bid not be submitted.

The Bid prepared by the Bidder, and all correspondence and documents relating to the Bid exchanged by the Bidder and the TPWODL, shall be written in the English Language. Any printed literature furnished by the Bidder may be written in another Language, provided that this literature is accompanied by an English translation, in which case, for purposes of interpretation of the Bid, the English translation shall govern.

SIGNING OF BID DOCUMENTS:

The bid must contain the name, residence and place of business of the person or persons making the bid and must be signed and sealed by the Bidder with his usual signature. The names of all persons signing should also be typed or printed below the signature.

The Bid being submitted must be signed by a person holding a Power of Attorney authorizing him to do so, certified copies of which shall be enclosed.

The Bid submitted on behalf of companies registered with the Indian Companies Act, for the time being in force, shall be signed by persons duly authorized to submit the Bid on behalf of the Company and shall be accompanied by certified true copies of the resolutions, extracts of Articles of Association, special or general Power of Attorney etc. to show clearly the title, authority and designation of persons signing the Bid on behalf of the Company. Satisfactory evidence of authority of the person signing on behalf of the Bidder shall be furnished with bid.

A bid by a person who affixes to his signature the word 'President', 'Managing Director', 'Secretary', 'Agent' or other designation without disclosing his principal will be rejected.

The Bidder's name stated on the Proposal shall be the exact legal name of the firm.

3.2 Contact Information

Please note all correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc. will happen only through TPWODL E-Tender system (Ariba).

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidders who have participated in the Tender as elaborated in procedure for participating in tender.

Communication Details:

Package Owner:

Name: Sonali Acharya

E-Mail ID: sonali.acharya@tpwesternodisha.com

HoD- Contracts

Name: Mr. Ajit Singh Mob: 9830082946

E-Mail ID: ajit.singh@tpwesternodisha.com

Chief-Contracts and Store:

Name: Mr. Harish Sharma

E-Mail ID: harish.sharma@tpwesternodisha.com



NIT: TPWODL/SA/O/SU/008

3.3 Bid Prices

Bidders shall quote for the entire Scope of Supply/ work with a break up of prices for individual items and Taxes & duties. The bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total price with taxes, duties & freight up to destination at various sites of TPWODL. The all-inclusive prices offered shall be inclusive of all costs as well as Duties, Taxes and Levies paid or payable during the execution of the supply work, breakup of price constituents.

Applicable GST to be specified clearly.

The quantity break up shown else-where other than Price Schedule is tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the tender, shall be deemed to be included in prices quoted.

3.4 Bid Currencies

Prices shall be quoted in Indian Rupees Only.

3.5 Period of Validity of Bids

Bids shall remain valid for 180 days from the due date of submission of the bid.

Notwithstanding clause above, the TPWODL may solicit the Bidder's consent to an extension of the Period of Bid Validity. The request and responses thereto shall be made in writing.

RC Validity: - The validity of this rate contract shall be one year from the date of issuance.

3.6 Alternative Bids

Bidders shall submit Bids, which comply with the Bidding documents. Alternative bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in the terms and conditions, which are not substantially responsive to the requirements of the bidding documents.

3.7 Modifications and Withdrawal of Bids

The bidder is not allowed to modify or withdraw its bid after the Bid's submission. The EMD as submitted along with the bid shall be liable for forfeiture in such event.

3.8 Earnest Money Deposit (EMD)

The bidder shall furnish, as part of its bid, an EMD amounting as specified in the tender. The EMD is required to protect TPWODL against the risk of bidder's conduct which would warrant forfeiture.

The EMD shall be forfeited in case of:

a) The bidder withdraws its bid during the period of specified bid validity.

Or

- b) The case of a successful bidder, if the Bidder does not
- i) accept the purchase order, or
- ii) furnish the required performance security BG

4 Bid Opening & Evaluation process

4.1. Process to be confidential

NIT: TPWODL/SA/O/SU/008

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process. Any effort by a Bidder to influence the TPWODL's processing of Bids or award decisions may result in the rejection of the Bidder's Bid.

4.2. Technical Bid Opening

The bids shall be opened internally by TPWODL. First the envelope marked "EMD" will be opened. Bids without EMD/ cost of tender (if applicable) of required amount/ validity in prescribed format, shall be rejected.

Next, technical bids of bidders who have submitted EMD shall be opened. Participating Bidders will get mail intimation from TPWODL E-Tender system (Ariba) when their Technical Bids are opened.

4.3. Preliminary Examination of Bids/Responsiveness

TPWODL will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order. TPWODL may ask for submission of original documents in order to verify the documents submitted in support of qualification criteria.

Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.

Prior to the detailed evaluation, TPWODL will determine the substantial responsiveness of each Bid to the Bidding Documents including production capability and acceptable quality of the Goods offered. A substantially responsive Bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviation.

Bid determined as not substantially responsive will be rejected by the TPWODL and/or the TPWODL and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

4.4. Techno Commercial Clarifications

Bidders need to ensure that the bids submitted by them are complete in all respects. To assist in the examination, evaluation and comparison of Bids, TPWODL may, at its discretion, ask the Bidder for a clarification on its Bid for any deviations with respect to the TPWODL specifications and attempt will be made to bring all bids on a common footing. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted owing to any clarifications sought by TPWODL.

4.5. Price Bid Opening

Price Bid of only Technically and / or Safety Qualified Bidders shall be considered and open internally by TPWODL. Bidders will get mail intimation from TPWODL E-Tender system (Ariba) when their Price Bids are opened. The EMD of the bidder withdrawing or substantially altering his offer at any stage after the technical bid opening will be forfeited at the sole discretion of TPWODL without any further correspondence in this regard.

4.6. Reverse Auctions

TPWODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products/ services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached as Annexure VI of this document. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form attached as Annexure VI as a token of acceptance for the same.

5 Award Decision

TPWODL will award the contract to the successful bidder whose bid has been determined to be the lowest-evaluated responsive bid as per the Evaluation Criterion mentioned at Clause 2.0. The Cost for the said calculation shall be taken as the all-inclusive cost quoted by bidder in Annexure I (Schedule of Items) subject to any corrections required in line with Clause 4.3 above. The decision to place purchase order/LOI solely depends on TPWODL on the cost competitiveness across multiple lots, quality, delivery and bidder's capacity, in addition to other factors that TPWODL may deem relevant.

TPWODL reserves all the rights to award the contract to one or more bidders so as to meet the delivery requirement or nullify the award decision without assigning any reason thereof.

In case any supplier is found unsatisfactory during the delivery process, the award will be cancelled and TPWODL reserves the right to award other suppliers who are found fit.

NOTE: Please note that Intimation of Price Bid Opening will go only to those bidders who are Technically Acceptable and whose price bid are opened. Bidders who are not successful in technical or commercial part of the process will be intimated to collect EMD only after end of process.

It is informed that TPWODL shall not provide status updates or give explanation of process followed for bidder selection criteria whatsoever, to any participating bidder.

6 Order of Preference/Contradiction

In case of contradiction in any part of various documents in tender, following shall prevail in order of preference:

- 1. Schedule of Items (Annexure I)
- 2. Post Award Contract Administration (Clause 7.0)
- 3. Submission of Bid Documents (Clause 3.0)
- 4. Scope of Work and SLA (Annexure VII)
- 5. Technical Specifications (Annexure II)
- 6. Acceptance Form for Participation in Reverse Auction (Annexure VI)
- 7. General Conditions of Contract (Annexure VIII)

7 Post Award Contract Administration

7.1. Special Conditions of Contract

 Rate contract shall be valid for a period of 1 years from the placement of Contract. Release Order (RO) shall be placed as per the requirement of TPWODL. Rate shall remain FIRM till the validity of Rate Contract.

NIT: TPWODL/SA/O/SU/008

- Business Associate (BA) shall submit applicable Performance Bank Guarantee as per GCC within 30 days of issuance of order. PBG applicable shall be 5% of Order Value. PBG submitted, shall be released after completion of applicable guarantee period plus one month.
- Any change in statutory taxes, duties and levies during the contract period shall be borne by TPWODL. However, in case of delay in work execution owing to reasons not attributable to TPWODL, any increase in total liability shall be passed on the Bidder, whereas any benefits arising owing to such statutory variation in taxes and duties shall be passed on TPWODL.
- Statutory Variations: Any changes in existing taxes/ Duties and levies, Introduction of new taxes and duties etc. during the period of the contract shall be paid at actuals to BA subject to BA shall submit the tax break up in details, however, where BA has quoted the all-inclusive prices and not shown the tax break-up, this clause will not be applicable. The date of issue of MDCC shall be used for this purpose.
- There will be no price escalation given to bidder after issue the RO even if there is delayed the project due to ROW permission.
- Quotation in all BOM items is mandatory, and bid shall be rejected if any line of found blank in un price bid.
- In case any additional material is to be asked to supply after finalization of scope of work in the detailed Engineering, the Extra price and the extension of delivery time (if applicable) as the case may be mutually agreed between TPWODL and Successful Bidder.
- All other terms and conditions of TPWODL General Conditions of Contract shall be applicable.

7.2 Drawing Submission and Approval

The relevant drawings and GTPs need to be submitted within two weeks of receipt of firm purchase order by the successful bidder to TPWODL for approval. In case, re-submission of drawings is required on request of TPWODL, same needs to be submitted back to TPWODL within 5 days of such request.

7.3 Delivery Timelines

Release Orders shall be placed against the awarded Rate Contract by TPWODL as and when the requirements arise& Delivery within 60 Days from RO.

7.4 Guarantee/Warranty Period

Guarantee / Warranty Period of the supplied materials will be as per the TS attached with the tender.

7.5 Payment Terms

On delivery of the materials in good condition and certification of acceptance by certified official, Associate shall submit the Bills/ Invoices in original in the name of TP Western Odisha Distribution Limited to Invoice Desk. The payment shall be released within 90 days from the date of submission of certified bills/ invoices.

7.6 Climate Change

Significant quantities of waste are generated during the execution of project and an integrated approach for effective handling, storage, transportation and disposal of the same shall be adopted. This would ensure the minimization of environmental and social impact in order to combat the climate change. Please refer attached Environment Policy and Sustainability Policy, Annexure-XI for more details.

7.7 Ethics

TPWODL is an ethical organization and as a policy TPWODL lays emphasis on ethical practices across its entire domain. Bidder should ensure that they should abide by all the ethical norms and in no form either directly or indirectly be involved in unethical practice.

TPWODL work practices are governed by the Tata Code of Conduct which emphasizes on the following:

- We shall select our suppliers and service providers fairly and transparently.
- We seek to work with suppliers and service providers who can demonstrate that they share similar values. We expect them to adopt ethical standards comparable to our own.
- Our suppliers and service providers shall represent our company only with duly authorized written
 permission from our company. They are expected to abide by the Code in their interactions with, and
 on behalf of us, including respecting the confidentiality of information shared with them.
- We shall ensure that any gifts or hospitality received from, or given to, our suppliers or service providers comply with our company's gifts and hospitality policy.
- We respect our obligations on the use of third party intellectual property and data.

Bidder is advised to refer Tata Code of Conduct (TCOC) attached at Annexure IX for more information.

Any ethical concerns with respect to this tender can be reported to the following e-mail ID:

sunilk.sharma@tpwesternodisha.com

8 Specification and standards

As per Annexure II

9 General Condition of Contract

Any condition not mentioned above shall be applicable as per GCC Annexure-VIIIattached along with this tender.



ANNEXURE I

Schedule of Items

SI. No.	Item Description	Qty.	UoM	Unit Basic Price	GST @	Unit Price inclusive of taxes & charges	Total Price, all inclusive (in Rs.)
1	12 KV 10 KA 11 KV LA	9200	EA				
2.	33 KV 10 KA 30 KV LA	6200	EA				
Total Package Value:							

N.B.:-

- The overall period of the rate contract shall be for a period of 1 year and prices shall be firm till the validity of contract. Release order shall be issued as per requirement of TPWODL.
- The bids will be evaluated commercially on the lowest cost in line-item basis.
- The unit price with GST in col no.7, is landed price for TPWODL at their storesat Burla/site. Refer Clause-3.3 Bid Price.
- The bidders are advised to quote prices strictly in the above format. Failing to do so, bids are liable for rejection.
- Bidder needs to quote mandatorily for each line item of the BOQ.
- The bidder must fill each and every column of the above format. Mentioning "extra/inclusive" in any of the column may lead for rejection of the price bid.
- No cutting/ overwriting in the prices is permissible.
- The material will be received by the consignee in the Electrical Stores Sub division under TPWODL as per dispatch instruction.
- Type test report for offered materials is to be submitted along with the offer.



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE II

<u>Technical Specification</u>
(Attached Separately)



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE III

Schedule of Deviations

Bidders are advised to refrain from taking any deviations on this TENDER. Still in case of any deviations, all such deviations from this tender document shall be set out by the Bidders, Clause by Clause in this schedule and submit the same as a part of the **Technical Bid.**

Unless <u>specifically</u> mentioned in this schedule, the tender shall be deemed to confirm the TPWODL's specifications:

S. No.	Clause No.	Tender Clause Details	Details of deviation with justifications

By signing this document we hereby withdraw all the deviations whatsoever taken anywhere in this bid document and comply to all the terms and conditions, technical specifications, scope of work etc. as mentioned in the standard document except those as mentioned above.

Seal of the Bidder:		
Signatura.		
Signature: Name:		
Hame.		



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE IV

Schedule of Commercial Specifications

(The bidders shall mandatorily fill in this schedule and enclose it with the offer Part I: Technical Bid. In the absence of all these details, the offer may not be acceptable.)

S. No.	Particulars	Remarks
1.	Prices firm or subject to variation	Firm / Variable
	(If variable indicate the price variation	
	clause with the ceiling if applicable)	
1a.	If variable price variation on clause given	Yes / No
1b.	Ceiling	%
1c.	Inclusive of GST	Yes / No (If Yes, indicate % rate)
1d.	Inclusive of transit insurance	Yes / No
2.	Delivery	Weeks / months
3.	Guarantee clause acceptable	Yes / No
4.	Terms of payment acceptable	Yes / No
5.	Performance Bank Guarantee acceptable	Yes / No
6.	Liquidated damages clause acceptable	Yes / No
7.	Validity (180 days)	Yes / No
	(From the date of opening of bid)	
8.	Inspection during stage of manufacture	Yes / No
9.	Rebate for increased quantity	Yes / No (If Yes, indicate value)
10.	Change in price for reduced quantity	Yes / No (If Yes, indicate value)
11.	Covered under Small Scale and Ancillary	Yes / No
	Industrial Undertaking Act 1992	(If Yes, indicate, SSI Reg'n No.)
		Seal of the Bidder:
		Signature:
		Name:



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE V

Checklist of all the documents to be submitted with the Bid

Bidder has to mandatorily fill in the checklist mentioned below:

S. No.	Documents attached	Yes / No / Not Applicable
1	EMD of required value	
2	Tender Fee as mentioned in this tender	
3	Signed copy of this tender as an unconditional acceptance	
5	Duly filled schedule of commercial specifications (Annexure IV)	
6	Sheet of commercial/technical deviation if any (Annexure III)	
7	Balance sheet for the last completed three financial years; mandatorily enclosing Profit & loss account statement	
8	Acknowledgement for Testing facilities if available (duly mentioned on bidder letter head)	
9	List of Machine/tools with updated calibration certificates if applicable	
10	Details of order copy (duly mentioned on bidder letter head)	
11	Order copies as a proof of quantity executed	
12	Details of Type Tests if applicable (duly mentioned on bidder letter head)	
13	All the relevant Type test certificates as per relevant IS/IEC (CPRI/ERDA/other certified agency) if applicable	
14	Project/supply Completion certificates	
15	Performance certificates	
16	Client Testimonial/Performance Certificates	
17	Credit rating/solvency certificate	
18	Undertaking regarding non blacklisting (On company letter head)	
19	List of trained/untrained Manpower	

	Signature:	
Name	<u>a.</u>	

Seal of the Bidder:



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE VI

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed and stamped by the bidder)

In a bid to make our entire procurement process more fair and transparent, TPWODL intends to use the reverse auctions as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:

- 1. TPWODL shall provide the user id and password to the authorized representative of the bidder. (Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).
- **2.** TPWODL will make every effort to make the bid process transparent. However, the award decision by TPWODL would be final and binding on the supplier.
- **3.** The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPWODL, bid process, bid technology, bid documentation and bid details.
- **4.** The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
- 5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPWODL.
- **6.** In case of intranet medium, TPWODL shall provide the infrastructure to bidders. Further, TPWODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case of an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
- 7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out-rightly rejected by TPWODL.
- **8.** The bidder shall be prepared with competitive price quotes on the day of the bidding event.
- **9.** The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPWODL site.
- 10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
- **11.** No requests for time extension of auction event shall be considered by TPWODL.
- **12.** The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all-inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

Signature & Seal of the Bidder



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE VII Scope of Work

NA



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE-VIII

GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS

(Attached Separately)



TP WESTERN ODISHA DISTRIBUTION LIMITED (A Tata Power & Odisha Govt. joint venture)

Corporate Office, Burla-768 017

ANNEXURE-IX

TATA CODE OF CONDUCT

The Owner abides by the Tata Code of Conduct in all its dealing with stake holders and the same shall be binding on the Owner and the Contractor for dealings under this Order/ Contract. A copy of the Tata Code of Conduct is available a tour website:

https://www.tatapower.com/pdf/aboutus/Tata-Code-of-Conduct.pdf

The Contractor is requested to bring any concerns regarding this to the notice of our Chief Procurement & Stores e-mailID: sunilk.sharma@tpwesternodisha.com



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture)
Corporate Office, Burla-768 017

ANNEXURE X

ENVIRONMENT & SUSTAINABILITY POLICY



CORPORATE ENVIRONMENT POLICY

Tata Power is committed to a clean, safe and healthy environment, and we shall operate our facilities in an environmentally sensitive and responsible manner. Our commitment to environmental protection and stewardship will be achieved by:

- Complying with the requirements and spirit of applicable environmental laws and striving to exceed required levels of compliance wherever feasible
- Ensuring that our employees are trained to acquire the necessary skills to meet environmental standards
- Conserving natural resources by improving efficiency and reducing wastage
- · Making business decisions that aim towards sustainable development
- Engaging with stakeholders to create awareness on sustainability

(Praveer Sinha)
CEO & Managing Director

Date: 15th June, 2018

TATA POWER
Lighting up Lives!



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017



CORPORATE SUSTAINABILITY POLICY

At Tata Power, our Sustainability Policy integrates economic progress, social responsibility and environmental concerns with the objective of improving quality of life. We believe in integrating our business values and operations to meet the expectations of our customers, employees, partners, investors, communities and public at large

- We will uphold the values of honesty, partnership and fairness in our relationship with stakeholders
- We shall provide and maintain a clean, healthy and safe working environment for employees, customers, partners and the community
- We will strive to consistently enhance our value proposition to the customers and adhere to our promised standards of service delivery
- We will respect the universal declaration of human rights, International Labour Organization's fundamental conventions on core labour standards and operate as an equal opportunities employer
- We shall encourage and support our partners to adopt responsible business policies, Business Ethics and our Code of Conduct Standards
- We will continue to serve our communities:
 - By implementing sustainable Community Development Programmes including through public/private partnerships in and around our area of operations
 - By constantly protecting ecology, maintaining and renewing bio-diversity and wherever necessary conserving and protecting wild life, particularly endangered species
 - By encouraging our employees to serve communities by volunteering and by sharing their skills and expertise
 - By striving to deploy sustainable technologies and processes in all our operations and use scarce natural resources efficiently in our facilities
 - We will also help communities that are affected by natural calamities or untoward incidence, or that are physically challenged in line with the Tata Group's efforts

The management will commit all the necessary resources required to meet the goals of Corporate Sustainability.

(Praveer Sinha)
CEO & Managing Director

Date: 15th June, 2018

TATA POWER
Lighting up Lives!



TP WESTERN ODISHA DISTRIBUTION LIMITED

(A Tata Power & Odisha Govt. joint venture) Corporate Office, Burla-768 017

ANNEXURE-XI

Norms for procurement from MSMEs registered in the state of Odisha

1) Tender Fees

To participate in the tender, MSMEs registered in the State of Odisha shall pay Rs.1,000/- including GST towards cost of tender paper.

2) Earnest Money Deposit (EMD)

EMD shall be exempted for MSME registered in the State of Odisha. However, Bidder shall be barred to participate in the tendering process for a period of 2 years in case it backs out post award of the contract.

3) Qualification Requirement for Open Tenders

Qualification Requirement of Financial Turnover for MSME registered in the State of Odisha shall be reduced to 20% of the existing criteria.

4) Performance Bank Guarantees

Performance Bank Guarantee for MSME registered in the State of Odisha shall be 25% of the value prescribed.



Technical Specifications (Annexure to Tender Documents)



TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 1 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

FOR 11KV (10KA) LIGHTENING ARRESTER

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 2 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

CONTENTS

- 1.0 SCOPE
- 2.0 APPLICABLE STANDARDS
- 3.0 CLIMATIC CONDITIONS OF THE INSTALLATION
- 4.0 GENERAL TECHNICAL REQUIREMENTS
- 5.0 GENERAL CONSTRUCTIONS
- 6.0 NAME PLATE AND MARKING
- 7.0 TESTS
- 8.0 TYPE TEST CERTIFICATES
- 9.0 PRE-DESPATCH INSPECTION
- 10.0 INSPECTION AFTER RECEIPT AT STORE
- 11.0 GUARANTEE
- 12.0 PACKING
- 13.0 TENDER SAMPLE
- 14.0 TRAINING
- 15.0 QUALITY CONTROL
- 16.0 MINIMUM TESTING FACILITIES
- 17.0 MANUFACTURING ACTIVITIES
- 18.0 SPARES, ACCESSORIES AND TOOLS
- 19.0 DRAWING AND DOCUMENTS
- 20.0 GURANTEED TECHNICAL PARTICULARS
- 21.0 SCHEDULE OF DEVIATION

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 3 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

1. SCOPE:

This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing and forwarding, supply, unloading of 12kV,10kA, Station class-SL, (class-II) Metal Oxide Gap less Polymeric Lightning Arrester at TPWODL stores/sites. Following equipment's / materials covered under the scope with all fittings, accessories and associated auxiliary equipment, mandatory spares which are required for efficient and trouble-free operation.

2. APPLICABLE STANDARDS:

The equipment covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian, International standards / IEC and shall conform to the regulations of the local authorities.

IEC 60099-4	Specification for surge arrestor without gap for AC System
IS 3070 & IS 15086	Specification for Metal Oxide Gap less Lightning arresters for alternating current System
IS 6209	Method of Partial Discharge Measurement
IS 8704 & IS 731	Guide for selection of creepage distance of polymeric housing insulator.
ISO 48	Rubber, vulcanized or thermoplastic Determination of hardness (hardness between 10 IRHD and 100 IRHD).
IEC 60721-3-2	Classification of environmental conditions. Classification of groups of environmental parameters and their severities. Transportation
IEC 60071	Insulation co-ordination Part 1 definitions, principles and rules; Part 2: Application Guide
IEC 60507	Artificial pollution tests on high voltage insulators to be used on ac systems
IEC 60815-1	Selection and dimensioning of high-voltage insulatorsintended for use in polluted conditions –Part 1: Definitions, information and general principles
IS 2629	Recommended Practice for Hot-Dip Galvanizing of Iron and Steel
IS 2633	Methods for testing uniformity of coating of zinc coated articles
IS 4759	Hot-dip zinc coatings on structural steel and other allied products

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 4 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

3. CLIMATIC CONDITIONS OF THE INSTALLATION:

The service shall be as follow:

1.	Maximum altitude above sea level	1,000m
2.	Maximum ambient air temperature	50°C
3.	Maximum daily average ambient air temperature	35°C
4.	Minimum ambient air temperature	0°C
5.	Maximum temperature attainable by an object exposed to sun	60°C
6.	Maximum relative humidity	95%
7.	Average number of thunderstorms per annum	70
8.	Average number of rainy days per annum	120
9.	Rainy months	June to October
10	. Average annual rainfall	150cm
11	. Maximum Wind velocity	200 km/hr.
9. 10	Rainy months . Average annual rainfall	June to October 150cm

- 12. Earthquakes of an intensity in horizontal direction equivalent to seismic acceleration of 0.3g
- 13. Earthquakes of an intensity in vertical direction equivalent to seismic acceleration of 0.15g(g being acceleration due to gravity)

Environmentally, some of the regions, where the work will take place includes hilly areas, subject to high relative humidity, which can give rise to condensation. Atmosphere is generally laden with mild acid and dust due to industrial activities. Some places are in heavily industrial polluted areas. On occasions, the combination of humid, acidic and dust condensation may create pollution conditions for outdoor equipment's. Therefore, outdoor materials and equipment's shall be designed and protected for use exposed, heavily polluted, acidic, corrosive, tropical and humid atmosphere.

4. GENERAL TECHNICAL REQUIREMENTS:

SL. NO.	TECHNICAL PARTICULARS (Class-SL, Class-II)	DESIRED VALUE
1	Installation	Outdoor
2	Reference standards (Latest Amend.)	IS 3070, IEC 61109, IEC 60099
3	Arrester Type and Housing	Metal Oxide Gapless Cage type with Polymeric housing
4	Normal System Voltage	11 kV
5	Highest System Voltage	12 kv
6	Rated Frequency	50 Hz
7	Maximum Continuous Operating Voltage (M.C.O.V)	9.6 kV (rms)
8	Arrester Rating	12 kV (rms)
9	Discharge Current	
а	Nominal Discharge Current	10 kA
b	Switching impulse discharge current	0.5kA

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 5 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

SL. NO.	TECHNICAL PARTICULARS (Class-SL, Class-II)	DESIRED VALUE
10	Short Circuit rating	25 kA
11	Voltage Withstand on Arrester Housing	
а	Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165	28kV (rms)
b	Standard rated Lightning Impulse withstand Voltage (Peak in kV)	75kV (Peak)
12	Lightning Impulse Protection Level (at 10kA)	49 kV
13	Long Duration Current	
а	Peak Current	75 A
b	Virtual duration of Peak T	1000 T (Micro Sec)
14	High Current impulse Operating Duty	65 kA (Peak)
15	Creepage Distance of Arrester Housing	31mm/KV (min) or 380 mm (min)
16	Partial Discharge at 1.05 times M.C.O. V	<10 pc
17	Energy Absorption capacity (KJ/KV)	>=4KJ/KV
18	Repetitive charge transfer withstand (coloumbs),Qrs	>=1.0
19	Temporary over voltage (TOV)	
а	1 sec	15kVp
b	10 sec	14kVp
20	Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave	
а	at 5kA	35kVp
b	at 10kA	38kVp
С	at 20kA	
21	Maximum switching current impulse residual voltage in kVP at 500 A	21 kVp
22	Max. Cantilever Strength	12 Kg-M(minimum)
23	Total height of the arrester	To be specified by bidder
24	Total weight of the arrester	To be specified by bidder
25	No. of Metal oxide blocks in arrester	To be specified by bidder
26	Rating of individual ZnO blocks used for assembly	To be specified by bidder
27	Power Losses of the Arrester in watt	To be specified by bidder
28	Type of Mounting	Bracket type
29	Material of Insulating base	UV resistant Fire retardant DMC
30	Disconnector (optional)	
а	Disconnector connecting lead	Insulated flexible tinned plated copper braid with lugs
b	Size of Insulated Tinned copper braid	25 sq.mm
С	Length of Insulated Tinned copper braid	300 mm

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 6 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

5. GENERAL CONSTRUCTIONS:

Lighting arrestors shall be station class, zinc oxide and gapless type suitable for operation underthe system conditions specified. This shall be self-supporting, structure mounting type. Each unitof arrestor assembly shall be hermitically sealed, leak tested and protected against ingress of moisture and shall be individual demountable. The seal shall be properly designed and tested foroperation under extreme weather conditions.

5.1. Assembly:

Lighting arrestor shall be supplied along with the insulating base/Mounting bracket, terminal connector and necessary hardwares. The assembly consists of a stack of metal oxide elements arranged in cage type designs. All metal parts shall be of non-rusting and non – corroding metal. Bolts, screws and pins shall be provided with lock washers. Lightning arrestor construction shall be suitable to withstand seismic loading, short circuit forces, wind load, the force exerted on the arrestor base and to terminal imposed by the line conductor. All similar parts, particularly removable ones, shall be interchangeable.

- a. The 12kV 10kA station class Lightning Arrester shall have L-shaped terminal clamp suitable for conductor size of 148 to 232 sqmm.
- b. Housing shall be polymeric to provide thermal dissipation of heat generated in the metal oxide elements during over voltage and line discharge. Polymeric housing shall be free from flaws affecting the mechanical and electrical strength of the arrestor. Housing shall be capable to withstand the temperature rise due to the non-uniform field distribution, caused by the pollution on the surface of the housing.
- c. The arrestor shall have thermal stability to withstand the heat generated from ZnO element due to continuous operating voltages and surges. It shall remain in undamaged condition, capable protective function.
- d. Arrestors shall incorporate anticontamination feature to prevent arrestor failure, consequent to uneven voltage gradient across the stack in the event of contamination of the arrestor insulating material. These features shall be described in detail when submitting the Bid. Arrestors shall be capable of discharging over voltages occurring during switching of unloaded transformers, capacitors banks and long lines. No radio interferences shall be caused by the arrestors operating at the normal rated voltage.
- e. Bidder shall mention energy handling capacity.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 7 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

5.2. EARTHING TERMINALS:

Earth Terminals shall be provided with Lightning arrestor.

5.3. MECHANICAL STRENGTH:

- a. The Lightning Arrester and it base shall withstand rated mechanical terminal load and electromagnetic forces without impairing their operational reliability.
- b. The Lightning Arrester shall not come out of their positions by gravity, wind pressure, vibrations or reasonable shocks.

5.4. DISCONNECTORS (OPTIONAL):

- a. Each Individual unit of Lighting Arrester with disconnector shall be hermetically sealed and fully protected against ingress of moisture. The hermetic seal shall be effective for the entire life time of the Lightning Arrester with disconnector under the specified service conditions. Disconnectors shall give the visible indication of the failed arrestor. The Lightning Arrester with disconnector shall be suitable for bracket type mounting. Disconnector shall be suitable for screwing directly to LA with terminal of M10.
- b. The corresponding units of Lightning Arrester with disconnector of the same rating shall be interchangeable without adversely affecting the performance. All the necessary flanges, bolts, nuts, clamps etc. required for assembly of complete Lightning Arrester with disconnector and accessories and mounting on purchaser's support structure shall be included in bidder's scope of supply. The mounting details for mounting the Lightning Arrester with disconnector on purchaser's support shall be given along with bid.

5.5. MOUNTING BRACKET:

- a. The 12kV 10kA Distribution class Lightning Arrester shall be fixed over a mounting bracket made of UV resistance, Fire retardant DMC material.
- b. The 12kV 10kA Station class Lightning Arrester shall be fixed over a mounting arrangement made of Hot dip galvanized MS material.

6. NAME PLATE AND MARKING:

A stainless-steel rating plate, of at least 1 mm thickness, shall be fitted to each Lightning Arrester in a visible position and shall carry all the information as specified in the standards. The letters on the rating plate shall be engraved black on the white/silver background. Fixing

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 8 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

screws for outdoor use shall be of stainless steel or any other corrosion resistant metals. The Name plate shall be embossed with "PO no. with date" & "TPWODL",

The following information shall be mentioned on the Name Plate

- 1. Continuous operating Voltage
- 2. Rated Voltage
- 3. Rated Frequency
- 4. Nominal Discharge Current
- 5. Pressure relief rated current in kA r.m.s.
- 6. Manufacturer's Name
- 7. Type and Identification of the complete
- 8. Year/Month of Manufacture
- 9. Serial Number.
- 10. Warrantee/guarantee clause.

7. TESTS:

All routine, acceptance & type tests shall be carried out in accordance with the relevant IS/IEC. All Routine/acceptance tests shall be witnessed by the purchaser/his authorized representative. All the components shall also be type tested as per the relevant standards. Following tests shall be necessarily conducted on the 11kV Lightening Arrester in additions to others specified in the IS/IEC Standards.

A. TYPE TESTS:

- a) Insulation withstand tests, including lightning impulse voltage withstand test
- b) Residual voltage tests, including steep current impulse residual voltage test, lightning impulse residual voltage test and switching impulse residual voltage test.
- c) Operating duty tests
- d) Long duration current impulse withstand test/Repetitive charge transfer rating, Qrs.
- e) Moisture Ingress test and water immersion test.
- f) Weather ageing test
- g) Short circuit test (low/high current)
- h) Power frequency (voltage vs Time curve)
- i) Bending moment test
- j) Hot dip Galvanizing test on exposed steel parts.
- k) Internal partial discharge test
- I) Dry and wet power frequency voltage withstand test.
- m) Seal leak rate test
- n) Pressure relief test.
- o) Tests on arrestor disconnectors- Time current characteristics (optional)

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 9 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

B. ROUTINE TESTS:

- a) Measurement of reference voltage test
- b) Residual Voltage Test on complete arrester
- c) Internal partial discharge test. This test shall be performed on each arrester unit. The test sample may be shielded against external partial discharges. Internal partial discharge shall not exceed 10 pC
- d) Satisfactory absence from partial discharges and contact noise shall be checked on each unit by any sensitive method adopted by the manufacturer.
- e) For Arrester units with sealed housing leakage check shall be made on each unit by any sensitive method adopted by the manufacturer on the arrestor and/or on surge monitor

C. ACCEPTANCE TESTS:

- a. Measurement of Power frequency reference voltage
- b. Lightning impulse residual voltage test on complete arrestor or arrestor unit.
- c. Internal Partial Discharge test
- d. Visual Examination
- e. For arrester units with sealed housing leakage check shall be made on each unit by any sensitive method adopted by the manufacturer on the arrestor and on surge monitor

All acceptance tests shall be witnessed by TPWODL / the purchaser's or his authorized representative. The above mentioned tests shall be made on 100 % of arrestors to be supplied.

7.4. SPECIAL THERMAL STABILITY TEST:

The test requires additional agreement between manufacturer and purchaser prior to the commencement of arrestor assembly

8. TYPE TEST CERTIFICATES:

The bidder shall furnish the type test certificates of the 11kV Lightening Arrester for the tests as mentioned as above as per the corresponding standards. All the tests shall be conducted by CPRI, ERDA or from any NABL accredited laboratory as per the relevant standards. Type test should have been conducted in certified Test Laboratories during the period not exceeding 5 years from the date of opening the bid. In the event of any discrepancy in the test reports i.e., any test report not acceptable or any/all type tests (including additional type tests, if any) not carried out, same shall be carried out without any cost implication to TPWODL.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 10 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

9. PRE-DISPATCH INSPECTION:

- 1. Material shall be subject to inspection by a duly authorized representative of TPWODL.
- 2. Inspection may be made at any stage of manufacture at the option of the purchaser and the equipment if found unsatisfactory as to workmanship or material, the same is liable to rejection.
- 3. Bidder shall grant free access to the places of manufacture to TPWODL's representatives at all times when the work is in progress.
- 4. Inspection by TPWODL or authorized representatives shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications.
- 5. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPWODL.

Following documents shall be sent along with material:

- a) Test report
- b) MDCC issued by TPWODL
- c) Invoice in duplicate
- d) Packing list
- e) Drawings & catalogue
- f) Guarantee / Warrantee card
- g) Brought out (raw) material test certificates
- h) Delivery Challan
- i) Other Documents (as applicable)

10. INSPECTION AFTER RECEIPT AT STORES:

The material received at TPWODL, Odisha store shall be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to "Network & Planning and Engineering" department

11.GUARANTEE:

- 1. Bidder shall stand guarantee towards design, materials, workmanship & quality of process/manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract.
- 2. In the event any defect is found by the TPWODL, up to a period of 18 months from the date of commissioning or 24 months from the date of last supplies made under the contract, whichever is earlier, (the time scale of 18/24 months could be enhanced subject to mutual agreements). Bidder shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Purchaser, failing which the Purchaser will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges (@ 20% of expenses incurred), from the Bidder or from the "Security cum Performance Deposit" as the case may

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 11 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

be. Bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Purchaser.

12. PACKING:

Bidder shall ensure that all material covered by this specification shall be prepared for rail/road transport (local equipment) and be packed in such a manner as to protect it from damage in transit. The bidder shall provide instructions regarding handling and storage precautions to be taken at site. The material should be packed in vertical position in individual box in such a way that the shape of rain shed does not get deformed during transportation and storage.

13. TENEDR SAMPLE:

Bidder shall submit the sample of material with the offer (in case of first supply to TPWODL).

14. TRAINING:

Not applicable

15. QUALITY CONTROL:

The bidder shall submit with the offer Quality assurance plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. TPWODL's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections.

16. MINIMUM TESTING FACILITIES:

Bidder shall have adequate in-house testing facilities for carrying out all routine tests & acceptance tests as per relevant International / Indian standards.

17. MANUFACTURING ACTIVITIES:

The successful Bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer. This bar chart will have to be submitted within 15 days from the release of the order. Manufacturing mass quantity to start only after getting approved drawings or as per intimation from TPWODL

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 12 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

18. SPARES, ACCESSORIES AND TOOLS:

Not Applicable

19. DRAWINGS AND DOCUMENTS:

Following drawings and documents shall be prepared based on TPWODL specifications and statutory requirements and shall be submitted with the bid:

- a) Completely filled in Technical Particulars
- b) General drawing arrangements
- c) Bill of material
- d) Type Test certificates.
- e) Brought out (raw material) test certificates
- f) Experience List

After the award of the contract four (4) copies of drawings, drawn to scale, describing the equipment in detail shall be forwarded for approval and shall subsequently provide four (4) complete sets of final drawings, one of which shall be auto positive suitable for reproduction, before the dispatch of the equipment. Soft copy of all the drawing, GTP, Test certificates shall be submitted after the final approval of the same to purchaser.

Following drawings / documents shall be submitted by the bidder for Purchaser's approval.

SI. No	Description	For Approval	For Review Information	Final Submission
1	Technical Parameters			$\sqrt{}$
2	Manual/Catalogues/drawings for all components.		√	
3	Technical details and test certificates.		√	√
4	Installation Instructions		V	V
5	Transport/shipping dimension drawing		√	√
6	QA & QC Plan	V	V	V
7	Routine, Acceptance and Type test Certificates	√	√	√

^{*}All the documents & drawings shall be in English language.

Instruction Manuals:

Bidder shall furnish two softcopies and four (4) hard copies of nicely bound manuals (In English language) covering erection and maintenance instructions and all relevant information and drawings pertaining to the main equipment as well as auxiliary devices.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 13 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

20. GUARANTEED TECHNICAL PARTICULARS:

1 Installation 2 Reference standards (Latest Amend.) 3 Arrester Type and Housing 4 Normal System Voltage 5 Highest System Voltage 6 Rated Frequency 7 Maximum Continuous Operating Voltage (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated Short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA c at 20kA	SL. NO.	TECHNICAL PARTICULARS (Class-SL,Class-II)	DESIRED VALUE		
3 Arrester Type and Housing 4 Normal System Voltage 5 Highest System Voltage 6 Rated Frequency 7 (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Ors 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	1	Installation			
4 Normal System Voltage 5 Highest System Voltage 6 Rated Frequency 7 (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	2	Reference standards (Latest Amend.)]		
5 Highest System Voltage 6 Rated Frequency 7 Maximum Continuous Operating Voltage (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	3	Arrester Type and Housing			
6 Rated Frequency 7 Maximum Continuous Operating Voltage (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	4	Normal System Voltage			
7 Maximum Continuous Operating Voltage (M.C.O.V) 8 Arrester Rating 9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	5	Highest System Voltage			
/ (M.C.O.V) 8	6	Rated Frequency			
9 Discharge Current a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	7				
a Nominal Discharge Current b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	8	Arrester Rating			
b Switching impulse discharge current 10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	9	Discharge Current			
10 Short Circuit rating 11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	а	Nominal Discharge Current			
11 Voltage Withstand on Arrester Housing a Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	b	Switching impulse discharge current			
Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	10	ū			
a withstand Voltage (Dry/Wet) as per IS:2165 b Standard rated Lightning Impulse withstand Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	11	Voltage Withstand on Arrester Housing			
Voltage (Peak in kV) 12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	а				
12 Lightning Impulse Protection Level (at 10kA) 13 Long Duration Current a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	b		To be provided by		
a Peak Current b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	12	Lightning Impulse Protection Level (at 10kA)			
b Virtual duration of Peak T 14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	13	Long Duration Current			
14 High Current impulse Operating Duty 15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	а	Peak Current			
15 Creepage Distance of Arrester Housing 16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	b	Virtual duration of Peak T			
16 Partial Discharge at 1.05 times M.C.O. V 17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	14	High Current impulse Operating Duty			
17 Energy Absorption capacity (KJ/KV) 18 Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	15	Creepage Distance of Arrester Housing			
Repetitive charge transfer withstand (coloumbs), Qrs 19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	16	Partial Discharge at 1.05 times M.C.O. V			
19 Temporary over voltage (TOV) a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	17	Energy Absorption capacity (KJ/KV)			
a 1 sec b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	18				
b 10 sec 20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	19	Temporary over voltage (TOV)			
20 Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave a at 5kA b at 10kA	а	1 sec			
with 8/20 microsecond wave a at 5kA b at 10kA	b	10 sec			
b at 10kA	20				
	а	at 5kA			
c at 20kA	b	at 10kA			
	С	at 20kA			

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 14 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: RO

SL. NO.	TECHNICAL PARTICULARS (Class-SL,Class-II)	DESIRED VALUE
21	Maximum switching current impulse residual voltage in kVP at 500 A	
22	Max. Cantilever Strength	
23	Total height of the arrester	
24	Total weight of the arrester	
25	No. of Metal oxide blocks in arrester	
26	Rating of individual ZnO blocks used for assembly	
27	Power Losses of the Arrester in watt	
28	Type of Mounting	
29	Material of Insulating base	
30	Disconnector (optional)	
а	Disconnector connecting lead	
b	Size of Insulated Tinned copper braid	
С	Length of Insulated Tinned copper braid	

Signature	Date
Signature	
Jidilaldic	Daic

Designation Seal of the Bidder

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 15 of 15
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 11KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/149/2022	REVISION NO: R0

21. SCHEDULE OF DEVIATIONS:

(TO BE ENCLOSED WITH TECHNICAL BID)

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

S. No	Clause No.	Details of deviation with justifications

W	e confirm that the	re are no deviations	anart from those	detailed above	Seal of the	Company
v v	כ טטוווווווו נוומג נווכו	ie ale iiu uevialiulis	aball Holli Hose	ucialicu abuve	. Ocal Ol IIIC	CUITIDATIV

Signa		

Name of the Company:

Date:

Office Seal:

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 1 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

FOR 33KV (10KA) LIGHTENING ARRESTER

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 2 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

CONTENTS

- 1.0 SCOPE
- 2.0 APPLICABLE STANDARDS
- 3.0 CLIMATIC CONDITIONS OF THE INSTALLATION
- 4.0 GENERAL TECHNICAL REQUIREMENTS
- 5.0 GENERAL CONSTRUCTIONS
- 6.0 NAME PLATE AND MARKING
- 7.0 TESTS
- 8.0 TYPE TEST CERTIFICATES
- 9.0 PRE-DESPATCH INSPECTION
- 10.0 INSPECTION AFTER RECEIPT AT STORE
- 11.0 GUARANTEE
- 12.0 PACKING
- 13.0 TENDER SAMPLE
- 14.0 TRAINING
- 15.0 QUALITY CONTROL
- 16.0 MINIMUM TESTING FACILITIES
- 17.0 MANUFACTURING ACTIVITIES
- 18.0 SPARES, ACCESSORIES AND TOOLS
- 19.0 DRAWING AND DOCUMENTS
- 20.0 GURANTEED TECHNICAL PARTICULARS
- 21.0 SCHEDULE OF DEVIATION

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 3 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

1. SCOPE:

This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing and forwarding, supply, unloading of 33kV,10kA, Station class-SL, (Station class-II) and 33 KV,10 KA – SM (class –III), Metal Oxide Gap less Polymeric Lightning Arrester at TPWODL stores/sites. Following equipment's / materials covered under the scope with all fittings, accessories and associated auxiliary equipment, mandatory spares which are required for efficient and trouble-free operation.

2. APPLICABLE STANDARDS:

The equipment covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian, International standards / IEC and shall conform to the regulations of the local authorities.

IEC 60099-4	Specification for surge arrestor without gap for AC System
IS 3070 & IS 15086	Specification for Metal Oxide Gap less Lightning arresters for alternating current System
IS 6209	Method of Partial Discharge Measurement
IS 8704 & IS 731	Guide for selection of creepage distance of polymeric housing insulator.
ISO 48	Rubber, vulcanized or thermoplastic Determination of hardness (hardness between 10 IRHD and 100 IRHD).
IEC 60721-3-2	Classification of environmental conditions. Classification of groups of environmental parameters and their severities. Transportation
IEC 60071	Insulation co-ordination Part 1 definitions, principles and rules; Part 2: Application Guide
IEC 60507	Artificial pollution tests on high voltage insulators to be used on ac systems
IEC 60815-1	Selection and dimensioning of high-voltage insulatorsintended for use in polluted conditions –Part 1: Definitions, information and general principles
IS 2629	Recommended Practice for Hot-Dip Galvanizing of Iron and Steel
IS 2633	Methods for testing uniformity of coating of zinc coated articles
IS 4759	Hot-dip zinc coatings on structural steel and other allied products

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 4 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

3. CLIMATIC CONDITIONS OF THE INSTALLATION:

The service shall be as follow:

1.	Maximum altitude above sea level	1,000m
2.	Maximum ambient air temperature	50°C
3.	Maximum daily average ambient air temperature	35°C
4.	Minimum ambient air temperature	0°C
5.	Maximum temperature attainable by an object exposed to sun	60°C
6.	Maximum relative humidity	95%
7.	Average number of thunderstorms per annum	70
8.	Average number of rainy days per annum	120
9.	Rainy months	June to October
10	. Average annual rainfall	150cm
11	. Maximum Wind velocity	200 km/hr.

- 12. Earthquakes of an intensity in horizontal direction equivalent to seismic acceleration of 0.3g
- 13. Earthquakes of an intensity in vertical direction equivalent to seismic acceleration of 0.15g

(g being acceleration due to gravity)

Environmentally, some of the regions, where the work will take place includes hilly areas, subject to high relative humidity, which can give rise to condensation. Atmosphere is generally laden with mild acid and dust due to industrial activities. Some places are in heavily industrial polluted areas. On occasions, the combination of humid, acidic and dust condensation may create pollution conditions for outdoor equipment's. Therefore, outdoor materials and equipment's shall be designed and protected for use exposed, heavily polluted, acidic, corrosive, tropical and humid atmosphere.

4. GENERAL TECHNICAL REQUIREMENTS:

SL. NO.	TECHNICAL PARTICULARS (Class-SL, Class-II)	DESIRED VALUE
1	Installation	Outdoor
2	Reference standards (Latest Amend.)	IS 3070, IEC 61109, IEC 60099
3	Arrester Type and Housing	Metal Oxide Gapless Cage type with Polymeric housing
4	Normal System Voltage	33 kV
5	Highest System Voltage	36 kv
6	Rated Frequency	50 Hz
7	Maximum Continuous Operating Voltage (M.C.O.V)	25 kV (rms)
8	Arrester Rating	30 kV (rms)
9	Discharge Current	
а	Nominal Discharge Current	10 kA

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 5 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

SL. NO.	TECHNICAL PARTICULARS (Class-SL, Class-II)	DESIRED VALUE
b	Switching impulse discharge current	0.5kA
10	Short Circuit rating	40 kA
11	Voltage Withstand on Arrester Housing	
	Standard rated short duration Power	
а	Frequency withstand Voltage (Dry/Wet) as per IS:2165	70kV (rms)
b	Standard rated Lightning Impulse withstand Voltage (Peak in kV)	170kV (Peak)
12	Lightning Impulse Protection Level (at 10kA)	115 kV
13	Long Duration Current	
а	Peak Current	400 A
b	Virtual duration of Peak T	2000 T (Micro Sec)
14	High Current impulse Operating Duty	100 kA (Peak)
15	Creepage Distance of Arrester Housing	31mm/KV (min) or 1023 min (min)
16	Partial Discharge at 1.05 times M.C.O. V	<10 pc
17	Energy Absorption capacity (KJ/KV)	>=4KJ/KV
18	Repetitive charge transfer withstand (coloumbs), Qrs	>=1.0
19	Temporary over voltage (TOV)	
а	1 sec	51kVp
b	10 sec	49kVp
20	Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave	
а	at 5kA	85kVp
b	at 10kA	90kVp
С	at 20kA	100kVp
21	Maximum switching current impulse residual voltage in kVP at 500 A	73.2kVp
22	Max. Cantilever Strength	35 Kg-M(minimum)
23	Total height of the arrester	To be specified by bidder
24	Total weight of the arrester	To be specified by bidder
25	No. of Metal oxide blocks in arrester	To be specified by bidder
26	Rating of individual ZnO blocks used for assembly	To be specified by bidder
27	Power Losses of the Arrester in watt	To be specified by bidder
28	Type of Mounting	Pedestal
29	Material of Insulating base	UV resistant Fire retardant DMC

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 6 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

SL. NO.	TECHNICAL PARTICULARS (Class-SM, Class-III)	DESIRED VALUE
1	Installation	Outdoor
2	Reference standards (Latest Amend.)	IS 3070, IEC 61109, IEC 60099
3	Arrester Type and Housing	Metal Oxide Gapless Cage type with Polymeric housing
4	Normal System Voltage	33 kV
5	Highest System Voltage	36 kv
6	Rated Frequency	50 Hz
7	Maximum Continuous Operating Voltage (M.C.O.V)	25 kV (rms)
8	Arrester Rating	30 kV (rms)
9	Discharge Current	
а	Nominal Discharge Current	10 kA
b	Switching impulse discharge current	1kA
10	Short Circuit rating	40 kA
11	Voltage Withstand on Arrester Housing	
а	Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165	70kV (rms)
b	Standard rated Lightning Impulse withstand Voltage (Peak in kV)	170kV (Peak)
12	Lightning Impulse Protection Level (at 10kA)	115 kV
13	Long Duration Current	To be provided by bidder
а	Peak Current	To be provided by bidder
b	Virtual duration of Peak T	2000 T (Micro Sec)
14	High Current impulse Operating Duty	100 kA (Peak)
15	Creepage Distance of Arrester Housing	31mm/KV (min) or 1023 min (min)
16	Partial Discharge at 1.05 times M.C.O. V	<10 pc
17	Energy Absorption capacity (KJ/KV)	>=7KJ/KV
18	Repetitive charge transfer withstand (coloumbs), Qrs	>=1.6
19	Temporary over voltage (TOV)	
а	1 sec	51kVp
b	10 sec	49kVp
20	Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave	
а	at 5kA	85kVp
b	at 10kA	90kVp
С	at 20kA	100kVp
21	Maximum switching current impulse residual voltage in kVP at 500 A	73.2kVp
22	Max. Cantilever Strength	35 Kg-M(minimum)
23	Total height of the arrester	To be specified by bidder

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 7 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

SL. NO.	TECHNICAL PARTICULARS (Class-SM, Class-III)	DESIRED VALUE
24	Total weight of the arrester	To be specified by bidder
25	No. of Metal oxide blocks in arrester	To be specified by bidder
26	Rating of individual ZnO blocks used for assembly	To be specified by bidder
27	Power Losses of the Arrester in watt	To be specified by bidder
28	Type of Mounting	Pedestal
29	Material of Insulating base	UV resistant Fire retardant DMC

5. GENERAL CONSTRUCTIONS:

5.1. Assembly:

The surge arresters shall conform in general to IEC-60099-4 ed 3.0

Surge arrester shall be supplied along with the insulating base, terminal connector and necessary hardware. The Assembly consists of a stack of Metal Oxide elements arranged in a cage type design. All metal parts shall be of non-rusting and non corroding metal (All ferrous parts shall be Hot Dip Galvanized i.e. HDG). All nuts & bolts shall be with double spring washers. Bolts, screws and pins shall be provided with lock washers. Surge arrester construction shall be suitable to withstand Seismic Loading, Short Circuit Forces and wind load and the force exerted on the arrestor base and to the terminal imposed by the line conductor. All similar parts, particularly removable ones, shall be interchangeable.

Arresters shall be completely molded units with absolutely no air volume inside.

Arresters of tubular construction i.e arresters assembled in hollow core insulators with enclosed gas volume are not acceptable due to abrupt short circuit performance and poor sealing mechanism.

a. Housing shall be polymeric to provide thermal dissipation of heat generated in the metal oxide elements during over voltage and line discharge. Polymeric housing shall be free from flaws affecting the mechanical and electrical strength of the arrestor. Housing shall be capable to withstand the desired pollution stresses without flashover. Housing shall be capable to withstand the temperature rise due to the non uniform field distribution, caused by the pollution on the surface of the housing. The rain sheds / petticoats shall be of polymeric material and shall confirm to IEC 60815.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 8 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

- b. The arrestor shall have thermal stability to withstand the heat generated from ZnO element due to continuous operating voltages and surges. It shall remain in undamaged condition, capable protective function.
- c. Arrestors shall incorporate anticontamination feature to prevent arrestor failure, consequent to uneven voltage gradient across the stack in the event of contamination of the arrestor insulating material. These features shall be described in detail when submitting the Bid. Arrestors shall be capable of discharging over voltages occurring during switching of unloaded transformers, capacitors banks and long lines. No radio interferences shall be caused by the arrestors operating at the normal rated voltage.
- d. MO resister diameter shall be mentioned by the bidder at the time of bidding along with its rating. MOV blocks shall have full metallization to have full face contact and to reduce contact resistance between adjacent discs.
- e. Surge arresters shall be of cage type construction with no gas volume to ensure that the arrester does not explode during the short circuit test condition. The MOV blocks should be housed in cage of FRP rods appropriately crimped at both end fittings. The housing should be directly molded on stack of MOV blocks without any intermediate interface.
- f. The end fittings shall be non-magnetic and of corrosion proof material. The end fittings used in polymer arrester shall be made from aluminum through machining process/pressure die-casting process. Sand casted and gravity casted end fittings are not acceptable due to poor microstructure and porosity issues.

5.2. EARTHING PADS:

Suitable earthing pads shall be provided in the lightning arrester and surge counter for earthing.

5.3. MECHANICAL STRENGTH:

- a. The Lightning Arrester and it base shall withstand rated mechanical terminal load and electromagnetic forces without impairing their operational reliability.
- b. The Lightning Arrester shall not come out of their positions by gravity, wind pressure, vibrations or reasonable shocks.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 9 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

5.4. SURGE COUNTER:

- a. Cyclometric 5-digit, non-resetting type counter, dial type surge counter shall be provided for each lightning arrestor for automatically recording the number of discharges. Each counter shall have a continuous leakage current indicator and shall not require an external power source of operation. The value of leakage current beyond which the operation is abnormal shall be clearly marked in red colour on the detector.
- b. Surge arrestor shall include a milli ammeter to monitor the leakage current. the milli ammeter usually bare a red mark at the higher scale regions. Increase of leakage current to the red marked zone is essentially an indication that the arrestor is likely to attain the thermal runway condition. The qualitative information regarding the arrestor the arrestor health, obtained from the milli-ammeter, helps the user to take preventive measures before the arrestor failure.
- c. Discharge counters and milli-ammeters shall be suitable for mounting on structure and shall be mounted at approximately 1.5 meters above ground level. the reading of the milli-ammeter and counters shall be visible through an inspection glass panel. The terminals shall be of robust and adequate size and shall be so located that incoming and outgoing connections are made with minimum possible bends.
- d. The connecting conductor from lightning arrester earth terminal to the discharge counter incoming terminal shall be insulated for a minimum of 4 kV and this insulated conductor shall be supplied along with the arrester by the bidder. The surge arrester surge counter connection shall be done by means insulated multi strand copper cable of minimum size 35 sq.mm to withstand the fault currents during severe operating conditions. Length of the each cable should be considered as 5mtr (min.). This copper cable shall be of green color and shall have fire retardant & UV resistance properties. Approved Make for this Cable is Polycab/KEI/KEC/Sterlite/Finolex/Havells. The cable shall have copper lugs at both ends. bimetallic strips must be provided along with Surge Counter for bimetallic connections.
- e. The surge arrester shall be designed to operate/ withstand without damage or change in performance for the high current impulse, long duration current impulse corresponding to the discharge class of the surge arrester and nominal discharged current corresponding to the discharge current of the surge with which it is used.
- f. The external and internal parts of the surge monitor shall be hermetically sealed to withstand the atmospheric variation of temperature and humidity, rain and dust encountered

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 10 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

in station in which they are installed. RTV silicon sealant to be used. the surge Monitor line terminal shall be solidly connected to the ground terminal of the surge monitor through an inbuilt metal oxide element satisfying the operational requirement.

5.5. CONNECTORS:

Tinned coated Aluminum terminal to be provided for Surge Arrestor. This terminal shall be connected via wedge connector with the network equipment via AAAC Panther/ Zebra Conductor. Therefore terminal connector shall be part of Surge Arrestor. Paddle type connector shall be considered for wedge connector's connection.

6. NAME PLATE AND MARKING:

A stainless-steel rating plate, of at least 1 mm thickness, shall be fitted to each Lightning Arrester in a visible position and shall carry all the information as specified in the standards. The letters on the rating plate shall be engraved black on the white/silver background. Fixing screws for outdoor use shall be of stainless steel or any other corrosion resistant metals. The Name plate shall be embossed with "PO no. with date" & "TPWODL",

The following information shall be mentioned on the Name Plate

- 1. Continuous operating Voltage
- 2. Rated Voltage
- 3. Rated Frequency
- 4. Nominal Discharge Current
- 5. Pressure relief rated current in kA r.m.s.
- 6. Manufacturer's Name
- 7. Type and Identification of the complete
- 8. Year/Month of Manufacture
- 9. Serial Number.
- 10. Warrantee/guarantee clause.

7. TESTS:

All routine, acceptance & type tests shall be carried out in accordance with the relevant IS/IEC. All Routine/acceptance tests shall be witnessed by the purchaser/his authorized representative. All the components shall also be type tested as per the relevant standards. Following tests shall be necessarily conducted on the 33kV Lightening Arrester in additions to others specified in the IS/IEC Standards.

A. TYPE TESTS:

a) Insulation Withstand Test of Housing (Lightning impulse – (cl. 8.2.8; IEC 60099-4 ed.3))

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 11 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

- b) Residual voltage test (cl. 8.3.2, cl. 8.3.3., cl 8.3.4; IEC 60099-4 ed.3)
- c) Long duration current impulse withstand test (cl. 8.4; IEC 60099-4 ed.3)
- d) Operating duty test (cl. 8.7; IEC 60099-4 ed.3)
- e) Short circuit test (Low (600A)/High Current (63kA) (cl. 8.10; IEC 60099-4 ed.3)
- f) Test for Bending moments (cl. 8.11; IEC 60099-4 ed.3)
- g) Weather aging test on full arrester 1000 hrs (cl. 8.12 and annexure-C; IEC60099- 4 ed.3)
- h) Partial Discharge Test (cl. 8.15; IEC 60099-4 ed.3)
- i) Dry & wet power frequency voltage test (cl. 8.2.8; IEC 60099-4 ed.3)
- j) Power frequency (voltage VS time curve) (cl. 8.8; IEC 60099-4 ed.3)
- k) Radio interference voltage (RIV) (cl. 8.14; IEC 60099-4 ed.3)
- l) Test to verify repetitive charge transfer withstand (cl. 8.5; IEC 60099-4 ed.3)
- m) Heat Dissipation behavior verification of test sample (cl. 8.6; IEC 60099-4 ed.3)

B. ROUTINE TESTS:

Routine test shall be as per cl. 9.1 of IEC 60099-4 ed 3 as mentioned below:

- a. Measurement of reference voltage test
- b. Residual Voltage Test on complete arrester
- c. Internal partial discharge test.
- d. Satisfactory absence from partial discharges and contact noise shall be checked on each unit by any sensitive method adopted by the manufacturer.
- e. For Arrester units with sealed housing leakage check shall be made on each unit by any sensitive method adopted by the manufacturer on the arrestor and on surge monitor.
- f. The resistive current drawn by the arrester at rated voltage
- g. The power-frequency voltage

C. ACCEPTANCE TESTS:

Acceptance test shall be as per cl. 9.2 of IEC 60099-4 ed 3 as mentioned below:

- a. Measurement of reference voltage test
- b. Residual Voltage test on complete arrestor.
- c. Partial Discharge Test
- d. Visual Inspection
- e. For arrester units with sealed housing leakage check shall be made on each unit by any sensitive method adopted by the manufacturer on the arrester and on surge monitor
- f. The resistive current drawn by the arrester at rated voltage
- g. Peel off test (removal of housing) shall be performed on 1 random samples from supplied lot to confirm cage design

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 12 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

- h. Measurement of power-frequency voltage on the arrester at the reference current
- Lightning impulse residual voltage on the arrester at nominal discharge current (Dry & wet power frequency voltage test)

All acceptance tests shall be witnessed by the Purchaser's or his authorized representative. The above mentioned test shall be made on the nearest lower whole number to the cube root of the number of arresters to be supplied as per IEC-60099-4.

8. TYPE TEST CERTIFICATES:

The bidder shall furnish the type test certificates of the 11kV Lightening Arrester for the tests as mentioned as above as per the corresponding standards. All the tests shall be conducted by CPRI, ERDA or from any NABL accredited laboratory as per the relevant standards. Type test should have been conducted in certified Test Laboratories during the period not exceeding 5 years from the date of opening the bid. In the event of any discrepancy in the test reports i.e., any test report not acceptable or any/all type tests (including additional type tests, if any) not carried out, same shall be carried out without any cost implication to TPWODL.

9. PRE-DISPATCH INSPECTION:

- 1. Material shall be subject to inspection by a duly authorized representative of TPWODL.
- 2. Inspection may be made at any stage of manufacture at the option of the purchaser and the equipment if found unsatisfactory as to workmanship or material, the same is liable to rejection.
- 3. Bidder shall grant free access to the places of manufacture to TPWODL's representatives at all times when the work is in progress.
- 4. Inspection by TPWODL or authorized representatives shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications.
- 5. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPWODL.

Following documents shall be sent along with material:

- a) Test report
- b) MDCC issued by TPWODL
- c) Invoice in duplicate
- d) Packing list
- e) Drawings & catalogue
- f) Guarantee / Warrantee card
- g) Brought out (raw) material test certificates
- h) Delivery Challan
- i) Other Documents (as applicable)

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 13 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

10. INSPECTION AFTER RECEIPT AT STORES:

The material received at TPWODL, Odisha store shall be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to "Network & Planning and Engineering" department

11.GUARANTEE:

- 1. Bidder shall stand guarantee towards design, materials, workmanship & quality of process/manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract.
- 2. In the event any defect is found by the TPWODL, up to a period of 18 months from the date of commissioning or 24 months from the date of last supplies made under the contract, whichever is earlier, (the time scale of 18/24 months could be enhanced subject to mutual agreements). Bidder shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Purchaser, failing which the Purchaser will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges (@ 20% of expenses incurred), from the Bidder or from the "Security cum Performance Deposit" as the case may be. Bidder shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Purchaser.

12. PACKING:

Bidder shall ensure that all material covered by this specification shall be prepared for rail/road transport (local equipment) and be packed in such a manner as to protect it from damage in transit. The bidder shall provide instructions regarding handling and storage precautions to be taken at site. The material should be packed in vertical position in individual box in such a way that the shape of rain shed does not get deformed during transportation and storage.

13. TENEDR SAMPLE:

Bidder shall submit the sample of material with the offer (in case of first supply to TPWODL).

14. TRAINING:

Not applicable

15. QUALITY CONTROL:

The bidder shall submit with the offer Quality assurance plan indicating the various stages of

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 14 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. TPWODL's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections.

16. MINIMUM TESTING FACILITIES:

Bidder shall have adequate in-house testing facilities for carrying out all routine tests & acceptance tests as per relevant International / Indian standards.

17. MANUFACTURING ACTIVITIES:

The successful Bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer. This bar chart will have to be submitted within 15 days from the release of the order. Manufacturing mass quantity to start only after getting approved drawings or as per intimation from TPWODL

18. SPARES, ACCESSORIES AND TOOLS:

Spares: Not applicable.

Service Level Agreement:

- In case of any failure vendor shall report to site, within 24 hours of receipt of reporting of failure occurrence.
- Vendor shall provide detailed root cause analysis of the fault within 15 days from the date of occurrence of the fault/ failure.
- Any spare part replacement, testing and its commissioning to be done by the vendor only, without any price implication to the purchaser

19. DRAWINGS AND DOCUMENTS:

Following drawings and documents shall be prepared based on TPWODL specifications and statutory requirements and shall be submitted with the bid:

- a) Completely filled in Technical Particulars
- b) General drawing arrangements
- c) Bill of material
- d) Type Test certificates.
- e) Brought out (raw material) test certificates
- f) Experience List

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 15 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

After the award of the contract four (4) copies of drawings, drawn to scale, describing the equipment in detail shall be forwarded for approval and shall subsequently provide four (4) complete sets of final drawings, one of which shall be auto positive suitable for reproduction, before the dispatch of the equipment. Soft copy of all the drawing, GTP, Test certificates shall be submitted after the final approval of the same to purchaser.

Following drawings / documents shall be submitted by the bidder for Purchaser's approval.

SI. No	Description	For Approval	For Review Information	Final Submission
1	Technical Parameters			
2	Manual/Catalogues/drawings for all components.		\checkmark	
3	Technical details and test certificates.		V	
4	Installation Instructions		$\sqrt{}$	V
5	Transport/shipping dimension drawing		√	√
6	QA & QC Plan		$\sqrt{}$	
7	Routine, Acceptance and Type test Certificates	√	√	√

^{*}All the documents & drawings shall be in English language.

Instruction Manuals:

Bidder shall furnish two softcopies and four (4) hard copies of nicely bound manuals (In English language) covering erection and maintenance instructions and all relevant information and drawings pertaining to the main equipment as well as auxiliary devices.

20. GUARANTEED TECHNICAL PARTICULARS:

SL. NO.	TECHNICAL PARTICULARS	SM Class (Class-III)	SL Class (Class-II)
1	Installation		
2	Reference standards (Latest Amend.)		
3	Arrester Type and Housing		
4	Normal System Voltage		
5	Highest System Voltage		
6	Rated Frequency		
7	Maximum Continuous Operating Voltage (M.C.O.V)		
8	Arrester Rating		
9	Discharge Current		
а	Nominal Discharge Current		
b	Switching impulse discharge current		

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 16 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: RO

SL. NO.	TECHNICAL PARTICULARS	SM Class (Class-III)	SL Class (Class-II)
10	Short Circuit rating		
11	Voltage Withstand on Arrester Housing		
a	Standard rated short duration Power Frequency withstand Voltage (Dry/Wet) as per IS:2165		
b	Standard rated Lightning Impulse withstand Voltage (Peak in kV)		
12	Lightning Impulse Protection Level (at 10kA)		
13	Long Duration Current		
a	Peak Current		
b	Virtual duration of Peak T		
14	High Current impulse Operating Duty		
15	Creepage Distance of Arrester Housing		
16	Partial Discharge at 1.05 times M.C.O. V		
17	Energy Absorption capacity (KJ/KV)		
18	Repetitive charge transfer withstand (coloumbs),Qrs	To be pro	-
19	Temporary over voltage (TOV)	Bide	der
а	1 sec		
b	10 sec		
20	Maximum Lightning Impulse Residual voltage with 8/20 microsecond wave		
а	at 5kA		
b	at 10kA		
С	at 20kA		
21	Maximum switching current impulse residual voltage in kVP at 500 A		
22	Max. Cantilever Strength		
23	Total height of the arrester		
24	Total weight of the arrester		
25	No. of Metal oxide blocks in arrester		
26	Rating of individual ZnO blocks used for assembly		
27	Power Losses of the Arrester in watt		
28	Type of Mounting		
29	Material of Insulating base		

Signature Date

Designation Seal of the Bidder

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWØDL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 17 of 17
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR 33KV (10KA) LIGHTENING ARRESTER	EFFECTIVE DATE 02/04/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/150/2022	REVISION NO: R0

21. SCHEDULE OF DEVIATIONS:

(TO BE ENCLOSED WITH TECHNICAL BID)

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

Clause No.	Details of deviation with justifications
	Clause No.

We conf	irm that ther	e are no deviatior	is apart from th	nose detailed a	above.Seal of	the Company:
---------	---------------	--------------------	------------------	-----------------	---------------	--------------

Signat	ture of	Bid	der:

Name of the Company:

Date:

Office Seal:

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR



GCC-Supply (Annexure to Tender Documents)



	TP WESTERN ODISHA DIS	TRIBUTION LIMITED
TATA	WORK INSTRUCTION /OPERATING GUIDELINES	
Doc. Title	GENERAL CONDITIONS OF CONTRACT	-SUPPLY ORDERS
Rev. No	0	Page 1 of 44

	CONTENTS			
CLAUSE NO.	DESCRIPTION			
1.0	ORGANIZATIONAL VALUES			
2.0	ETHICS			
3.0	CONTRACT PARAMETERS			
3.1	Issue/Award of Contract			
3.2	Contract Commencement Date			
3.3	Contract Completion Date			
3.4	Contract Period/ Time			
3.5	Contract Execution Completion Date			
3.6	Contract Price /Value			
3.7	Contract Document			
3.8	Contract Language			
3.9	Reverse Auction			
4.0	SCOPE OF WORK			
5.0	PRICES/RATES/TAXES			
5.1	Changes in statutory Tax Structure			
6.0	TERMS OF PAYMENT			
6.1	Quantity Variation			
6.2	Full and Final Payment			
7.0	MODE OF PAYMENT			
8.0	SECURITY CUM PERFORMANCE DEPOSIT			
9.0	STATUTORY COMPLIANCE			
9.1	Compliance to Various Acts			
9.2	SA 8000			
9.3	Affirmative Action			
10.0	QUALITY			
10.1	Knowledge of Requirements			
10.2	Material/Equipment/Works Quality			
10.3	Adherence to Rules & Regulations			
10.4	Specifications and Standards			
11.0	INSPECTION/PARTICIPATION			
11.1	Right to Carry Out Inspection			
11.2	Facilitating Inspection			
11.3	Third Party Nomination			
11.4	Waiver of Inspections			
11.5	Incorrect Inspection Call			

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 2 of 44

	CONTENTS			
CLAUSE NO.	DESCRIPTION			
12.0	MDCC & DELIVERY OF MATERIALS			
12.1	Material Dispatch Clearance Certificate			
12.2	Right to Rejection on Receipt			
12.3	Consignee			
12.4	Submission of Mandatory Documents on Delivery			
12.5	Dispatch and Delivery Instructions			
13.0	GUARANTEE			
13.1	Guarantee of Performance			
13.2	Guarantee period			
13.3	Failure in Guarantee period (GP)			
13.4	Cost of repairs on failure in GP			
13.5	Guarantee Period for Goods Outsourced			
13.6	Latent Defect			
13.7	Support beyond the Guarantee Period			
14.0	LIQUIDATED DAMAGES			
14.1	LD Waiver Request			
15.0	UNLAWFUL ACTIVITIES			
16.0	CONFIDENTIALITY			
16.1	Documents			
16.2	Geographical Data			
16.3	Associate's Processes			
16.4	Exclusions			
16.5	Violation			
17.0	INTELLECTUAL PROPERTY RIGHTS			
18.0	INDEMNITY			
19.0	LIABILITY & LIMITATIONS			
19.1	Liability			
19.2	Limitation of Liability			
20.0	FORCE MAJEURE			
21.0	SUSPENSION OF CONTRACT			
21.1	Suspension for Convenience			
21.2	Suspension for Breach of Contract Conditions			
21.3	Compensation in lieu of Suspension			
22.0	TERMINATION OF CONTRACT			
22.1	Termination for Default/Breach of Contract			
22.2	Termination for Convenience of Associate			
22.3	Termination for Convenience of TPWODL			

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 3 of 44

23.0 DISPUTE RESOLUTION AND ARBITRATION 23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.0 DISPUTE RESOLUTION AND ARBITRATION 23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.0 DISPUTE RESOLUTION AND ARBITRATION 23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.0 DISPUTE RESOLUTION AND ARBITRATION 23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS		CONTENTS	
23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.1 Governing Laws and jurisdiction 24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	CLAUSE NO.		
24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.0 ATTRIBUTES OF GCC 24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.0	DISPUTE RESOLUTION AND ARBITRATION	
24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.1 Cancellation 24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	23.1		
24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.2 Severability 24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.0	ATTRIBUTES OF GCC	
24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.3 Order of Priority 25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES			
25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	25.0 ERRORS AND OMISSIONS 26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES			
26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	26.0 TRANSFER OF TITLES 27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	24.3	Order of Priority	
27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	27.0 INSURANCE 28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	25.0	<i>P</i>	
28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	28.0 SUGGESTIONS & FEEDBACK 29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	26.0	TRANSFER OF TITLES	
29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	29.0 CONTACT POINTS 30.0 LIST OF ANNEXURES	27.0	INSURANCE	
30.0 LIST OF ANNEXURES	30.0 LIST OF ANNEXURES	30.0 LIST OF ANNEXURES	30.0 LIST OF ANNEXURES	28.0	SUGGESTIONS & FEEDBACK	
				29.0	CONTACT POINTS	
COMPILIONS	CONDITIONS OF CO	CEL NER AL	GENTERAL CONDITIONS OF CO	30.0	LIST OF ANNEXURES	
GY				GENER	Al-Compline Complete	

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 4 of 44

1.0 ORGANIZATIONAL VALUES

The Tata Group has always been a value driven organization. These values continue to direct the Group's growth and businesses. The six core Tata Values underpinning the way we do business are:

Integrity - We must conduct our business fairly, with honesty and transparency. Everything we do must stand the test of public scrutiny.

Understanding - We must be caring, respectful, compassionate and humanitarian towards our colleagues and customers around the world and always work for the benefit of India.

Excellence - We must constantly strive to achieve the highest possible standards in our day to day work and in the quality of goods and services we provide.

Unity - We must work cohesively with our colleagues across the group and with our customers and partners around the world to build strong relationships based on tolerance, understanding and mutual co-operation.

Responsibility - We must continue to be responsible and sensitive to the countries, communities and environments in which we work, always ensuring that what comes from the people goes back to the people many times over.

Agility - We must work in a speedy and responsive manner and be proactive and innovative in our approach.

2.0 ETHICS

In our effort towards Excellence and in Management of Business Ethics at TPWODL, an Ethics Management Team is constituted.

The main objective of the Ethics Management Team is to:

- 1. Record, address and allay the issues and concerns on ethics raised by different stakeholders like employees, consumers, vendors, Associates etc. by initiating immediate corrective actions.
- Ensure proper communication of the ethics policies and guidelines through prominent displays at all offices of TPWODL and through printed declarations in all concerned documents where external stakeholders are involved.
- 3. Ensure proper framework of policies as preventive measures against any ethics violation recorded by them.
- 4. Prepare and submit MIS of all issues and concerns, corrective and preventive actions on monthly basis to the top management for their information.

All Associates and Stakeholders are requested to register any grievance on ethics violation on our website www.tatapower.com

3.0 CONTRACT PARAMETERS

3.1 Issue/Award of Contract

TPWODL awards the contract to the Associate in writing in the form of Purchase Order (PO) or Rate Contract (RC), hereafter referred as Contract, through in any or all of following modes physical handover / post / e-mail / web document / fax with all the attachments/enclosures which shall be part of the contract document.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 5 of 44

On receipt of the contract, the associate shall return to TPWODL copy of the contract document duly signed by legally authorized representative of associate, within two days of Effective Date of Contract for contracts having contract execution time less than 30 days and within five days for all other contracts.

3.2 Contract Commencement Date

The date of issue/award of contract shall be the Effective Date of Contract or Contract Commencement date.

3.3 Contract Completion Date

The date of expiry of Guarantee Period shall be deemed as the Contract Completion Date.

3.4 Contract Period/Time

The period from Contract Commencement Date to Contract Completion Date shall be deemed as the Contract Period/Time.

3.5 Contract Execution Completion Date

The stipulated date for completing the supply as per schedule of quantities shall be deemed as the Contract Execution Completion Date.

3.6 Contract Price /Value

The total all inclusive price/value mentioned in the PO/RC is the Contract Price/Value and is based on the quantity, unit rates and prices quoted and awarded and shall be subject to adjustment based on actual quantities supplied and accepted and certified by the authorized representative of the company unless otherwise specified in schedule of quantities or in contract documents.

3.7 Contract Document

The Contract Document shall mean and include but not limited to the following:

- NIT/Tender Enquiry, QR, Instruction to Bidders, Special Condition of Contract (SCC) of tender, GCC, Technical & Commercial Specifications including relevant annexure and attachments).
- Bids & Proposals Received from Associate including relevant annexure/attachments.
- RC/PO with agreed deviations from the tender/bid documents.
- All the Inspection and Test reports, Detailed Engineering Drawings.
- Material Dispatch Clearance Certificate (MDCC).
- Minutes of Meeting (MoM)

3.8 Contract Language

All documents, instructions, catalogues, brochures, pamphlets, design data, norms and calculations, drawings, operation, maintenance and safety manuals, reports, labels, on deliveries and any other data shall be in English Language.

The Contract documents and all correspondence between the TPWODL, Third Parties associated with the contract, and the Associate shall be in English language.

However, all signboards required indicating "Danger" and/or security at site and otherwise statutory required shall be in English, Hindi, and local languages.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 6 of 44

3.9 Reverse Auction

TPWODL reserves the right to conduct the reverse auction (instead of public opening of price bids) for the products / services being asked for in the tender. The terms and conditions for such reverse auction events shall be as per the Acceptance Form attached in Annexure F. The bidders along with the tender document shall mandatorily submit a duly signed copy of the Acceptance Form as mentioned in the Annexure J as a token of acceptance for the same.

4.0 SCOPE OF WORK

All the activities that are to be undertaken by the Associate to realize the contractual deliverables in completeness form Scope of Work. Following clauses list, but not limited to, major requirements of the scope of work.

The associate shall satisfy himself and undertake fully the technical/commercial requirements of items to be supplied as listed in the Schedule of Quantities together with the tests to be performed /test reports to be furnished before dispatch, arrangement of stage and final inspections during manufacturing as per terms and conditions of contract, technical parameters & delivery terms and conditions including transit insurance to be met in order to fully meet TPWODL's requirements.

<u>Completeness</u>: Any supplies and services which might have not been specifically mentioned in the Contract but are necessary for the scope mentioned in Special Terms & Conditions and/or completeness of the works at the highest possible level, including any royalties, license fees & compensation to be paid, whether incurred by the associates or by a third party for the work covered in the scope, regardless of when incurred, shall be supplied/provided by the associate without any extra cost and within the time schedule for efficient, smooth and satisfactory operation and maintenance of the works at the highest possible level under Indian conditions (but according to international standards for facility of this type), unless expressly excluded from the scope of supplies and services in this Contract.

TPWODL have the right, during the performance of the Contract, to change the scope and/or technical character of the Project and/or of the supplies and services stipulated in the Contract by submitting a request in writing to the Associate. The Associate shall, within fifteen days of receipt of such request from the TPWODL, provide Purchaser with a reasonably detailed estimate of the cost of the change outlined in the request.

In the event, TPWODL requests a change, the Contract price and time shall be adjusted upwards or downwards, as the case may be and shall be mutually agreed to. The associate shall not be entitled to any extension of time unless such changes adversely affect the time schedule.

The Associate shall not proceed with the changes as requested till adjustment of contract price and time schedule where so applicable in terms of or otherwise directed by the TPWODL.

5.0 PRICES/RATES/TAXES

Unless specified elsewhere in the contract document, the prices/rates are inclusive of cost of finished product for which MDCC will be issued by TPWODL, packaging and forwarding charges, freight and transit insurance charges covering loading at Associate's works, transportation to TPWODL store/site & unloading & delivery at TPWODL stores/TPWODL site, cost of documentation including all the relevant test certificates and other supportive documents to be furnished.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 7 of 44

The Prices/Rates are inclusive of all taxes, levies, cess and duties, particularly Goods and Services Tax as applicable. All government levy / taxes shall be paid only when the invoice is submitted according to the relevant act.

The prices/rates shall remain firm till actual completion of entire supply of goods/material/equipment as per contract is achieved and shall remain valid till the completion of the contract.

The prices shall remain unchanged irrespective of TPWODL making changes in quantum in all or any of the schedules of items of contract.

5.1 Changes in Statutory Tax Structure

If rate of any or all of the statutory taxes and duties applicable to the contract changes, such changes shall be incorporated by default if the changes occur within the contract execution time and shall be applicable if the contract is executed by the Associate within the Contract Execution Time.

For execution of contracts beyond contract execution time, where the delay is not attributable to TPWODL no upward revision in tax /duties shall be considered irrespective of changes in the statutory tax structure either within the contract execution time or beyond. However, in such cases, benefits due to any downward revisions in statutory tax rates shall be passed on to TPWODL.

6.0 TERMS OF PAYMENT

On delivery of the materials in good condition and certification of acceptance by TPWODL official, Associate shall submit the Bills/Invoices in original in the name of "TP Western Odisha Distribution Ltd" to invoice desk, complete with all required documents as under:

- Test Reports (4 sets).
- MDCC issued by TPWODL.
- Packing List.
- Drawing and Catalogue.
- Guarantee/Warrantee Card.
- Delivery Challan.
- O&M Manual.
- Copy of Order.
- Minutes of Meeting.

Bills/ invoices shall mention Supplier's GST Number. TPWODL will make 100% payment within 30 days of submission of the Bill/Invoice complete in all respects and along with all the requisite documents mentioned above, subject to condition that Associate has furnished the requisite Security-cum-Performance Guarantee as stipulated in the contract.

6.1 Quantity Variation

Payment will be made on the basis of actual quantity of supplies/actual measurement of works accepted by TPWODL and not on the basis of contract quantity.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 8 of 44

6.2 Full and Final Payment

Full & Final Payment in all contracts shall be made subject to the associate submitting "No Demand Certificate" in the format as per Annexure-C.

7.0 MODE OF PAYMENT

Payment shall be made through crossed Cheque or RTGS whichever of the two modes chosen by the Associate, in favour of Associate's Bank Account on TPWODL records, on whose name Contract has been issued. Those Associates opting for the RTGS mode shall submit the details of Bank Account and other details as per annexure G. Further, for any payments made, TPWODL is not responsible for any consequences/disputes Associate have among the owners channel partners, sub-Associates and all such dispute/concerns shall be settled solely by the Associate.

8.0 SECURITY CUM PERFORMANCE DEPOSIT

Associates shall submit within 15 days from the effective date of issue of PO/RC, Security Performance Bank Guarantee (SPBG) in the format as per Annexure B of this document from banks acceptable to TPWODL for:

- (a) 5% of the PO value if purchase order value is more than Rs 5 Crores.
- (b) 10% of the PO value if purchase order value is less than Rs 5 Crores.

This shall remain valid till the end of the Guarantee Period of contract, plus one month.

- (c) 5% of the RC value in case of Rate Contract. This shall remain valid till the Guarantee period plus one month.
- For PO/RC values less than Rs. 5 lacs, Associate may request for deduction of amount equivalent to SPBG value from their first invoice. Such amount shall be withheld by TPWODL while processing the invoice and shall be released after completion of Guarantee Period plus one month.
- For PO/RC values less than Rs. 3 lacs, the clause (8.0) for Security cum Performance Bank Guarantee (SPBG) shall not be applicable.
- In case of RC (Rate Contract) after the expiry of RC validity, Associate shall have to submit SPBG. However, the Associate has the option to re-submit the SPBG as per actual RO

(Release Order) value issued against the RC, valid for Guarantee Period plus one month. The Guarantee Period shall be considered as per the last RO issued against the said RC. The original SPBG as submitted against the RC shall be released on submission of the new SPBG to TPWODL. Alternatively, Associate may extend the validity of original SPBG only till the requisite period, i.e. Guarantee Period plus one month.

9.0 STATUTORY COMPLIANCE

9.1 Compliance to Various Acts

Associate should ensure adherence to all applicable laws, rules and regulation applicable under this contract from time to time. In case of violation any risk, costs etc shall be in associates account and keep TPWODL indemnified always till completion of contracts.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 9 of 44

9.2 SA 8000

As TPWODL is SA 8000 compliant, it expects its Associates to follow guidelines of SA 8000:2014 on the following aspects

- 1. Child Labour
- 2. Forced or Compulsory Labour
- 3. Health & Safety
- 4. Freedom of Association & Right to Collective Bargaining
- 5. Discrimination
- 6. Disciplinary Practices
- 7. Working Hours
- 8. Remuneration
- 9. Management System

9.3 Affirmative Action

TPWODL appreciate and welcome the engagement/employment of persons from SC/ST community or any other deprived section of society by their business associates.

Relaxation in Contract Clauses under Affirmative Action for SC/ ST Business Associates**

TPWODL believes that inclusive growth is the key to sustainable development, and to promote the same Policy on Affirmative Action for Scheduled Caste & Scheduled Tribe Communities has been adopted across the company.

Under the same pre-text, and to promote entrepreneurship among SC/ST community TPWODL has taken initiative by proposing relaxations in contract clauses as per below:

S. No	Initiative	for SC/ ST BA's	Guideline Document
1	Tender Fees	100% waiver for SC/ST community	All Open Tenders
2	Earnest Money Deposit	50 % relaxation of estimated EMD value	All limited and Open Tenders
3	Performance Bank Guarantee	50% relaxation in PBG for order value above 50 lacs else 25% relaxation	All limited and Open tenders
4	Turnover	25% relaxation in company turnover under qualifying requirement criteria	All Open Tenders

**Classification of BAs under SC/ST shall be governed under following guidelines:

- Proprietorship/ Single Ownership Firm: Proprietor of the firm should be from SC/ST community. Governing document shall be duly audited balance Sheet for the last FY bearing the name of proprietor.
- Partnership Firm: Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed and audited balance sheet/ ITR for last FY.
- Private limited company: Only such firms shall qualify which have SC/ST directors holding equal to or more than 50% of the total ownership pattern of the firm. Governing

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No 0 Page 10 of 44		Page 10 of 44

document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

Note: Certification from SC/ST commission shall be required for deciding upon SC/ST status of a person.

10.0 QUALITY

10.1 Knowledge of Requirements

The Associate shall be deemed to have carefully examined and to have knowledge of the equipment, the general and other conditions, specifications, schedules, drawings, etc. forming part of the Contract and also to have satisfied himself as to the nature and character of the work to be executed and the type of the equipment and duties required including wherever necessary of the site conditions and relevant matters and details. Any information thus procured or otherwise obtained from TPWODL/Consultants shall not in any way relieve the Associate from his responsibility and executing the works in accordance with the terms of contract.

10.2 Material/Equipment/Works Quality

The items / works under the scope of the Associate shall be of the best quality and workmanship according to the latest engineering practice and shall be manufactured from materials of best quality considering strength and durability for their best performance and, in any case, in accordance with the specifications set forth in this Contract. All material shall be new. Substitution of specified material or variation from the process of fabrication/construction/ manufacture may be permitted but only with the prior written approval of the TPWODL.

10.3 Adherence to Rules & Regulations

The Associate shall procure and/or fabricate/erect all materials and equipment in accordance with all requirements of Central and State enactment, rules and regulations governing such work in India and at site. This shall not be construed as relieving the Associate from complying with any requirement of TPWODL as enumerated in the Contract which may be more rigid than and not contrary to the above mentioned rules, nor providing such construction as may be required by the above mentioned rules and regulations. In case of variance of the Technical Specification from the laws, ordinance, rules and regulations governing the work, the Associate shall immediately notify the same to the TPWODL. It is the sole responsibility of the Associate, however, to determine that such variance exists. Wherever required by rules and regulations, the Associate shall also obtain the statutory authorities' approval for the plant, machinery and equipment to be supplied by the Associate.

10.4 Specifications and Standards

The Associate shall follow all codes and standards referred in the Contract Document. Codes and standards of other may be followed by the Associate with the prior written approval of TPWODL, provided materials, supplies and equipment according to the standard are equal to or better than the corresponding standards specified in the Contract.

Brand names mentioned in the Contract documents are for the purpose of establishing the type and quality of products to be used. The Associate shall not change the brand name and

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No 0 Page 11 of 44		Page 11 of 44

qualities of the bought out items without the prior written approval of the TPWODL. All such products and equipment shall be used or installed in strict accordance with original manufacturer's recommendations, unless otherwise directed by the TPWODL. In any circumstances the codes, specimen and standards prescribed by any government agency should not be violated.

11.0 INSPECTION/PARTICIPATION

11.1 Right to Carry Out Inspection

TPWODL reserves the right to send its representatives for inspection or participation at various stages of contract execution listed below, applicable as per contract construction.

- During basic design and detail engineering of material/ Equipment carried out by Associate /Outsourced Agencies.
- During manufacturing stages of the product at Associate's/Associate's Outsourced Agency's Plant/Facility.
- During Pre-dispatch Inspection and Testing of finished/manufactured product at Associate's/Associate's outsourced Agency's Plant/Facility.
- During Installation & Commissioning Activities/Stages.
- Prior to Clearing of the completed installation for commissioning.
- Any other stage as find appropriate by TPWODL during contract execution time.

All inspections and participations shall be carried out by TPWODL giving written intimation to the Associate or receiving appropriate advance written inspection call from the Associate, unless otherwise specified elsewhere in the contract document.

11.2 Facilitating Inspection

The Associate shall provide all opportunities and information to TPWODL's engineers to get acquainted with the technical know-how and the methods and practices adopted by the Associate in basic and detail engineering. The Associate shall provide documents, drawings, calculations etc. as may be required by TPWODL's Engineers.

The Associate shall provide free of charge office accommodation, office facilities, secretarial services, communication facilities, general and drawing office stationary, etc. as may be reasonably required by the TPWODL's engineers. Similarly, facilities shall also be provided by Associate's outsource agencies/partners/authorized dealers (collectively termed as sub associates) if such basic and detail engineering activities are carried out in the design offices of sub-Associates.

The Associate shall be responsible for the safety of employees of TPWODL/Third Party Agency when they are at the Associate's /Associate's outsource agency's plant or facility for carrying out/witnessing inspection/testing. All statutory safety precautions as applicable shall be followed by the Associate during Inspection Testing. If TPWODL inspectors are not satisfied with the safety arrangements at the plant, TPWODL have the right to call off inspection till such time corrective action is taken by the Associate.

Before raising the call for pre-dispatch final inspection and testing, the Associate shall conduct all the tests—type tests, routine tests etc-as specified in the contract document and submit copies of the test certificates to TPWODL along with the inspection call, for scrutiny of TPWODL.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 12 of 44

The Associate and TPWODL shall jointly document all the observations, comments and action points after completion of inspection and it shall be binding on the Associate to provide compliance on all the points requiring compliance and furnish the compliance report to the designated authority of TPWODL for receiving clearance for dispatch of materials

11.3 Third Party Nomination

TPWODL also may nominate a third party for the purpose of carrying out the inspection and such an agency shall be entitled to all the rights and privileges of TPWODL as far as conducting the inspection.

11.4 Waiver of Inspections

TPWODL on its own discretion shall chose to waive off any inspection and ask the Associate to submit all the test reports as applicable as per contract specifications, related to inspection and testing of the goods ordered for scrutiny and clearance for dispatch.

11.5 Incorrect Inspection Call

In case it is observed that the material offered for inspection is not ready at the time of TPWODL inspection visit rendering it as futile, all costs towards such inspection shall be recovered from the BA. Taxes as applicable on such recoveries shall be borne by the BA.

12.0 MDCC & DELIVERY OF MATERIALS

12.1 Material Dispatch Clearance Certificate

Associate shall deliver material/goods/equipment against Supply Contracts or Supply Part of Composite/Service Contracts only after receiving Material Dispatch Clearance Certificate (hereafter termed as MDCC) issued by designated authority of TPWODL. Material delivered at TPWODL stores or at project site without a valid MDCC issued by the designated official of TPWODL shall be rejected. MDCC shall be issued to associate furnishing compliance report on the action points documented during pre-dispatch inspection and testing at Associate's/ Sub Associate's plant/ facility. In case Pre-dispatch inspection is waived at the discretion of TPWODL, then, MDCC shall be issued on receiving all the test reports-routine& type-from the Associate and finding them in order.

The associate shall include and provide for securely protecting and packing the materials so as to avoid loss or damage during handling and transport by air, sea, rail and road or any other means.

All such packing shall allow to the extent possible for easy removal and checking at Site. The associate shall take special precautions to prevent rusting of steel and iron parts during transit by sea. Gas seals or other materials shall be utilized by the associate for protection against moisture during transit of all Plant and Equipment.

Each Equipment or parts of Equipment shall be tagged with reference to the assembly drawings and corresponding part numbers. Each bale or package shall contain a packing note quoting specifically the name of the associate, item description, quantity, item / package identification.

All packing cases, containers, packing and other similar materials shall be new and supplied free by the associate and it shall not be required to be returned to the associate.

Notwithstanding anything stated in this clause, the associate shall be entirely responsible for loss, damage or depreciation or deterioration to the materials and supplies due to faulty and/or insecure packing or otherwise during transportation to the Site until otherwise provided herein.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 13 of 44

In case of the consignments dispatched by road, the associate shall ensure that it or its subcontractors:

- i) Identify and obtain the correct type of trucks/trailers, keeping in view the nature of consignments to be dispatched.
- ii) Take such actions as may be necessary to avoid all possible chances of damages during transit and to ensure that all packages are firmly secured.

Timelines for inspection and MDCC is as below:

S. No.	Inspection	MDCC issuance time including Inspection time (max.)
1	Outside Sambalpur	12 days
2	Within Sambalpur	5 days
3	Waiver*	3 working days

^{*} Associate is expected to raise the inspection call assuming that Inspection shall be carried out by TPWODL. The decision for waiver of inspection shall be on sole discretion of TPWODL.

12.2 Right to Rejection on Receipt

Goods/Material/Equipment delivered in condition physically damaged & incomplete as a product ordered, or not packed and transported as per the terms and conditions of the contract is liable to be rejected. Such item shall be lifted back by Associates within 15 days from receipt of rejection note from TPWODL and have to supply back the material within next 30 days or within the timeframe mutually decided by Associate and TPWODL.

If delivery of the material is beyond the agreed time, Liquidated damage clause, mentioned in this GCC separately shall be applicable; but the period for levy of LD shall be considered as per the original delivery schedule and not from the agreed timelines for material rectification.

12.3 Consignee

Unless otherwise specified in the Contract Document, Materials/Goods/Equipment shall be consigned to "Stores-In-Charge", TPWODL, Burla.

12.4 Submission of mandatory documents on Delivery

Following documents shall be mandatorily submitted by BA along with supply of material to TPWODL stores/site:

S. No.	Documents	Requisite
1	Invoice copy in original	With all consignments
2	LR copy	Wherever required
3	Packing list	With all consignments
4	MDCC	With all consignments
5	Purchase order / Release order	Signed copy
6	Test certificates	With all consignments
7	Inspection/JVR report	In case pre-dispatch inspection is conducted
8	Device data in CD as per template for metering items	Wherever applicable

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 14 of 44

12.5 Dispatch and Delivery Instructions

S. No.	Instructions
1	Purchase order/ Release order no. shall be mentioned on invoice and on material
2	TPWODL material code and material description shall be mentioned in invoice and on material.
3	"Property of TPWODL" shall be embossed on material.
4	The material shall be properly sealed and packed in standard packing as per purchase order terms & conditions.
5	The weight and quantity of material shall be mentioned wherever applicable
6	The material supplied shall be co-related with the packing list.
7	The name plate detail on equipment shall include Material code, Material description, specification detail of material [as applicable], Serial No. Year of manufacturing, PO/RO no. and date, "PROPERTY OF TPWODL, Burla", Guarantee period and Associate's name.
8	In case of manual unloading, supplier / transporter shall deploy sufficient Labour for unloading the material at TPWODL central store. For heavy item(s), crane will be provided by TPWODL [unloading cost will be recovered from the associate].
9	The driver should have valid License and one helper in truck. All the documents of truck like registration papers, PUC etc. should be available in Truck.
10	BA representative should accompany the material and get it unloaded / stacked in his presence wherever possible.

13.0 GUARANTEE

13.1 Guarantee of Performance

Associates shall stand guarantee that the equipment and material supplied under the contract is free from design, manufacturing, material, construction, erection & installation and workmanship & quality defects and is capable of its due, rated and intended quality performance, as an integrated product delivered under the contract, for a specific period termed as Guarantee Period(as elaborated elsewhere in this clause). The Associate should also guarantee that the equipment/material is new and unused except for the usage required for the tests and checks required as part of quality assurance.

13.2 Guarantee Period

The Guarantee Period will be equipment/service/work specific and shall be as specified in the Standard Specifications of TPWODL for the equipment/material/service/work and where standard specifications are not part of contract documents or guarantee period is not specified in the standard specifications,, the guarantee period shall be as per the Special Terms and Conditions of the Contract. In case of no mention of the guarantee period in standard specifications or SCC Guarantee Period will be 12 Months from the Date of Commissioning or 24 months from the date of delivery of final lot of supplies made, whichever is earlier.

13.3 Failure in Guarantee Period (GP)

If the equipment and material supplied under the contract fails to perform its due, rated & intended quality performance, during the Guarantee period, the associate is liable to undertake repair/rectify/replace the equipment and material supplied within time frame specified in the SCC or elsewhere in the contract documents at associate's cost to make the equipment and material supplied/service or work rendered under the contract of performing its due, rated and

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 15 of 44

intended quality performance. If Associate fails to repair/rectify/replace the equipment or material supplied rendered under the contract, failed in Guarantee Period, TPWODL will be at liberty to get the same done at Associate's risks and costs and recover all such expenses plus the TPWODL's own charges (@ 20% of expenses incurred), from the Associate or from the "Security cum Performance Deposit" as the case may be.

If during the Warranty/ Guarantee period some parts of the supplies are replaced owing to the defects/ damages under the Warranty, the Warranty period for such replaced parts shall be until the expiry of twelve months from the date of such replacement or renewal or until the end of original Guarantee period, whichever is later.

Any repairs during the Guarantee Period shall be carried out by the Associate within 30 days of reporting the issue to Associate by TPWODL. However, if replacement of the Equipment is required, Associate shall notify the same to TPWODL within 7 days of reporting the issue by TPWODL. Thereafter, the total time for supply of new equipment/ material shall be equal to the original delivery period of that equipment/ material as specified in the Contract. In case the Associate is not able to rectify/ replace the faulty equipment/ material within the stipulated timelines as mentioned above, penalty shall be levied as per the Liquidated Damages clause mentioned in this document. The penalty amount shall be recovered from the payment due to the vendor or by encashment of the SPBG as the case may be.

13.4 Cost of repairs on failure in GP

The cost of repairs/rectification/replacement, required transportation, site inspection /mobilization/dismantling and re-installation costs as applicable, to be borne by Associate. The Associate has to ensure that the interruption in the usage of intended purpose of the equipment is minimized to the maximum extent In lieu of the time taken for repairs/rectification/replacement.

13.5 Guarantee period for Goods Outsourced

If the Associate outsources partly equipment/materials/services from third party as mutually agreed upon at the pre award stage of contract, TPWODL shall have the benefit of any additional guarantee period if provided by the third party for the part supplied/executed by them.

13.6 Latent Defect

Hidden defects in manufacturing or design of the product supplied and which could not be identified by the tests conducted but later manifested during operation of the equipment are termed as latent defects. Associates shall further be responsible for 'free replacement' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Company.

13.7 Support beyond the Guarantee Period

The Associate shall ensure availability of spares and necessary support for a period of atleast 10 years post completion of guarantee period of equipment supplied against the contract.

14.0 LIQUIDATED DAMAGES

a) For supplies which are of standalone use, multiple in quantities and having a single final delivery schedule, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPWODL, as described below:

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 16 of 44

For delay of each week and part thereof from the delivery schedule specified in the contract, 1% of contract value corresponding to undelivered quantity, provided full quantity is supplied within 130% of the original contract time. If full contractual quantity is not delivered within 130% of contract time for delivery, TPWODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value.

b) For Supplies having phased delivery schedule as per contract terms, standalone use and multiple in quantities, Liquidated damages shall be levied without prejudice to any of the other contractual rights of TPWODL, as described below:

For the purpose of calculating and applying LD, each delivery lot shall be considered separately. For delay of each week and part thereof, from the delivery schedule specified for the lot, 1% of the contract value corresponding to the undelivered quantity of the lot subject to a maximum of 10% of the total contract value of the subject lot. However, if full contractual quantity is not delivered within 130% of contract time for delivery, TPWODL has the right to levy LD on the entire contract value, subject to a maximum of 10% of the total contract value. Deduction of LD shall be on landed cost i.e contract value inclusive of taxes and in pursuant statutory compliance GST would be applicable at the stipulated rate and the same shall be borne by Business Associate. In case of LD deduction, a GST invoice shall be issued by TPWODL as a proof of deduction/ recovery.

14.1 LD Waiver Request

Any request of LD waiver shall be submitted within thirty (30) days of deducting LD. Request submitted beyond the timeline shall not be entertained.

15.0 UNLAWFUL ACTIVITIES

The Associate shall have to ensure that none of its employees are engaged in any unlawful activities (whether covered under the scope of the present GCC or not) subversive of the TPWODL's interest failing which appropriate action (legal or otherwise) may be taken against the Associate by the TPWODL, in accordance with the terms of the present GCC.

16.0 CONFIDENTIALITY

Associate and its employees or representatives thereof shall strictly maintain the confidentiality of various information they come across while executing the contract as detailed below.

16.1 Documents

All maps, plans, drawings, specifications, schemes and other documents or information related to the Contract/Project and the subject matter contained therein and all other information given to the Associate by the TPWODL in connection with the performance of the contract shall be held confidential by the Associate and shall remain the property of the TPWODL and shall not be used or disclosed to third parties by the Associate for any purpose other than for which they have been supplied or prepared. The Associate may disclose to third parties, upon execution of confidentiality agreements, such part of the drawings, specifications or information if such disclosure is necessary for the performance of the Work provided such third parties agree in writing to keep such information confidential to the same extent and degree as provided herein, for the benefit of the TPWODL.

16.2 Geographical Data

Maps, layouts and photographs of the unit/plant including its surrounding regions showing vital installation for national security of country or those of TPWODL shall not be published or

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 17 of 44

disclosed to the third parties or taken out of the country without prior written approval of the TPWODL and upon execution of confidentiality agreements satisfactory to the TPWODL with such third parties prior to disclosure.

16.3 Associate's Processes

Title to secret processes if any developed by the Associate on an exclusive basis and employed in the design of the equipment shall remain with the Associate. TPWODL shall hold in confidence such processes and shall not disclose such processes to the third parties without prior approval of the Associate and execution by such third parties of secrecy agreements satisfactory to the Associate prior to disclosure. Upon completion of contract, such processes shall become the property of the TPWODL. Title to technical specifications, drawings, flow sheets, norms, calculations, diagrams, interpretations of test results, schematics, layouts and such other information, which the Associate has supplied to the TPWODL under the Contract shall be passed on to the TPWODL. The TPWODL shall have the right to use these for construction, erection, start-up, Trial Run, operation, maintenance, modifications and/or expansion of the works including for the manufacture of spare parts.

16.4 Exclusions

The provision of Clauses 16.1 to 16.3 shall not apply to information:

- Which at the time of disclosure are in the public domain which later on become part of public domain through no fault of the party concerned, or
- Which were in the possession of the party concerned prior to disclosure to him by the other party, or
- Which were received by the party concerned after the time of disclosure without restriction on disclosure or use, from a third party who did not acquire such information directly or indirectly from the other party or has no obligation of confidentiality for such information.

16.5 Violation

In case of violation of this clause, the Associate is liable to pay compensation and damages as may be determined by the competent authority of TPWODL.

17.0 INTELLECTUAL PROPERTY RIGHTS

If, in the course of performance of its functions and duties as envisaged by the scope of the present GCC, the Associate acquires or develops, any unique knowledge or information which would be covered, or, is likely to be covered within the definition of a trademark, copyright, patent, business secret, geographical indication or any other form of intellectual property right, it shall be obliged, under the terms of this present GCC, to share such knowledge or information with the TPWODL. All rights, with respect to, or arising from such intellectual property, as afore mentioned, shall solely vest in TPWODL.

Moreover, the Associate undertakes not to breach any intellectual property right vesting in a third party/parties, whether by breach of statutory provision, passing off, or otherwise. In the event of any such breach, the Associate shall be wholly liable to compensate, indemnify or make good any loss suffered by such third party/parties, or any compensation/damages arising from any legal proceeding/s, or otherwise. No liability of TPWODL shall arise in this respect, and any costs, damages, expenses, compensation payable by TPWODL in this regard to a third party/parties, arising from a legal proceeding/s or otherwise, shall be recoverable from the Associate.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 18 of 44

18.0 INDEMNITY

The Associate shall at all times indemnify, keep indemnified and hold harmless the TPWODL and its officers, directors, employees, affiliates, agents, successors and assigns against all actions, claims, demands, costs, charges and expenses arising from or incurred by reason of any infringement of patent, trade mark, registered design, copy rights and/or industrial property rights by manufacture, sale or use of the equipment supplied by the Associate whether or not the TPWODL is held liable for by any court judgement. In this connection, the TPWODL shall pass on all claims made against him to the Associate for settlement.

The Associate assumes responsibility for and shall indemnify and save harmless the TPWODL from all liability, claims, costs, expenses, taxes and assessments including penalties, punitive damages, attorney's fees and court costs which are or may be required to be paid by the TPWODL and its officers, directors, employees, affiliates, agents, successors and assigns arising from any breach of the Associate's obligations under the Contract or for which the Associate has assumed responsibilities under the Contract including those imposed under any local or national law or laws, or in respect to all salaries, wages or other compensation for all persons employed by the Associate or his Sub-Associates or suppliers in connection with the performance of any work covered by the Contract. The Associate shall execute, deliver and shall cause his Sub-Associate and suppliers to execute and deliver, such other further instruments and to comply with all the requirements of such laws and regulation as may be necessary there under to conform and effectuate the Contract and to protect the TPWODL.

The TPWODL shall not be held responsible for any accident or damages incurred or claims arising, due to the Associate's error there from prior to completion of work. The Associate shall be liable for such accidents and after completion of work for such accidents as the case may be due to negligence on his part to carry out Work in accordance with Indian laws and regulations and the specifications set forth herein.

19.0 LIABILITY & LIMITATIONS

19.1 Liability

Except for any specific liability which may be identified in the Contract and which may be payable hereunder, Associate shall not be liable for any special, incidental, indirect, or consequential Damages or any loss of business Contracts, revenues or other financial loss (or equivalents thereof no matter how claimed, computed or characterized) arising out of or in connection with the Performance of the Work or supply of Goods *unless caused by Associate's negligence, willful misconduct or breach of contract.*

If the Associate is a joint venture or consortium, all concerned parties shall be jointly and severally bound to the TPWODL for the fulfillment of the provisions of the Contract. The consortium or the joint venture shall designate one party as their leader, who will be the coordinator between the parties and TPWODL. The constituents & leader of the consortium or joint venture shall not be changed without the prior consent of TPWODL.

TPWODL shall have no liability or any special, incidental, indirect or consequential Damages for any loss of Business Contracts, revenues or other financial loss arising out of this Contract.

19.2 Limitation of Liability

The total liability of Associate against any contract shall be limited to the Total All Inclusive Contract Value.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 19 of 44

20.0 FORCE MAJEURE

Force Majeure applies if the performance by either Party ("the Affected Party") of its obligations under Contract is materially and adversely affected.

"Force Majeure" shall mean any event or circumstance or combination of events or circumstances referred below and their consequences that wholly or partly prevents or unavoidably delays any Party in the performance of its obligations under this Agreement, but only and to the extent that such events and circumstances are not within the reasonable control, directly or indirectly, of the Affected Party and could not have been avoided even if the Affected Party had taken reasonable care:

- Act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, embargo, blockade, revolution, riot, bombs, religious strife or civil commotion, etc. Politically motivated sabotage, or terrorism, etc.
- Action or Act of Government or Governmental agency for which remedy is beyond the control of the affected parties.
 Any act of God.

Note: Causes like power breakdown/ shortages/fire/strikes, accidents etc do not fall under Force Maieure.

Time being the essence of the Contract, if either party is prevented from the performance of its obligations in whole or in part due to an event of Force Majeure, then provided Notice of happening of any event by the Affected Party is given to the other party within seven (7) days from the date of occurrence of such event, which DIRECTLY has impact on works and submitted details and quantum of resulting effect, but at the same time had made all possible efforts to mitigate and overcome effects thereof, the Affected Party's performance under this Contract shall be suspended until such event ceases and the Scheduled Completion shall be delayed accordingly.

If Force Majeure event(s) continue for a period of more than three months, the parties shall hold consultation to discuss the further course of action.

Neither party shall be considered to be in default or in breach of its obligation under the Contract to the extent that performance of such obligation by either party is prevented by any circumstances of Force Majeure which arise after effective date of Contract.

Neither party can claim any compensation from the other party on account of Force Majeure.

21.0 SUSPENSION OF CONTRACT

21.1 Suspension for Convenience

TPWODL may, at any time and at its sole option, suspend execution of all or any portions of the schedule of items of contract to be supplied/work to executed by Associate under the contract by providing to the Associate atleast two business days written notice for contracts having contract completion period less than sixty days and atleast seven business days' notice for all other contracts.

Upon receipt of any such notice, the Associate shall respond as follows as applicable as per contract construction.

 Immediately discontinue further supply of material/goods specified in the suspension notice for supply contracts

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 20 of 44

- Immediately discontinue further service/work and supply of materials of those services/materials/work specified in the suspension notice for service /composite contract
- Promptly make every reasonable effort to obtain suspension, upon terms satisfactory to TPWODL, of all orders, outsourcing arrangements, and rental Contracts to the extent that they relate to performance of the portion of Work suspended by the notice.
- Protect and maintain the portion of the service/Work already completed, including the portion of the Work suspended hereunder, unless otherwise specifically stated in the notice.
- Continue delivering/carrying out the supply/service/work items as per contract conditions, which do not fall under purview of the suspension notice.

On receipt of resumption notice from TPWODL, the Associate shall resume execution of contract as specified in the resumption notice, within the time frame specified in the resumption notice.

21.2 Suspension for Breach of Contract conditions.

TPWODL shall suspend execution of whole/or part thereof the contract till such time Associate complies with the conditions stipulated under section clause 22.1 for breach/default of contract conditions.

21.3 Compensation in lieu of Suspension

If the suspension of the contract in whole or in part is for convenience of TPWODL and not due to any breach of contract conditions by the associate, TPWODL at its discretion shall consider compensating all reasonable additional costs incurred by Associate in lieu of suspension of whole or part of contract, on representation of the Associate providing justified estimates of such additional costs and such estimates are found acceptable and approved by competent authority of TPWODL.

If the suspension of contract in whole or part thereof is due to breach of contract conditions (refer clause 22.1) by the Associate, Associate shall not be entitled for any compensation for any cost incurred in lieu of suspension of whole or part of contract and also shall be liable for compensating all the losses arising to TPWODL in lieu of suspension of contract. Resumption notice shall be subject to the Associate taking corrective action for the breach of contract conditions within the time frame and as per the terms specified in the suspension notice.

22 TERMINATION OF CONTRACT

22.1 Termination for Default/Breach of Contract

The contract / PO /RC shall be subject to termination by TPWODL in case of breach of the contract by the Associate which shall include but not be limited to the following:

- a. Withdrawal or intimation by the Associate of its intent to withdraw or surrender the execution / completion of the contracted work /PO or failure in ensuring adherence to any delivery schedules, in deviation of the contract/PO.
- b. Refusal or neglect on the part of the Associate to supply material/equipment of quantity or quality as specified by TPWODL and within the timeframe as specified in the contract document or refusal or neglect to execute the services/work in terms of the agreed standards of quantity or quality and/or within the timeframe specified in the contract/PO.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 21 of 44

- c. Failure in any respect to perform any portion of the Work contracted with promptness, diligence, or in accordance with the terms of the contract.
- d. Failure to furnish guarantees as specified and /or failure to comply with the terms thereof.
- e. Failure to furnish such relevant documents or information within the time specified which may be necessary for due execution / completion of the works and documentation.
- f. Liquidation, bankruptcy either voluntary or involuntary OR entering into any composition or compromise with its creditors, or Insolvency.
- g. In case any reasonable information has been received by TPWODL that Associate has adopted/ or attempted to adopt any unethical conduct, action in award of the contract /PO or at any time thereafter.
- h. Failure to comply with applicable statutory provisions as contained in the contract or failure to comply with the applicable laws.
- i. Failure to comply with safety regulations/clauses stipulated in the contract or as may be generally instructed by TPWODL.

If the default or breach as specified under clause 22 (except sub clause g thereof) be committed by the associate for the first time, TPWODL shall issue, along the with notice of default or breach, a warning notice instructing the associate to take remedial/corrective action within the time frame stipulated in the warning notice and not to repeat the same in future. The timeframe for corrective action by the associate shall be specific to the nature of breach of contract and the same shall not be objected to by the Associate. If the Associate fails to comply with the instructions in the warning notice or in taking corrective action to the satisfaction of TPWODL then TPWODL may terminate the entire or part of contract at its discretion by issuing termination notice without incurring any liability on this ground.

In case the contract is terminated for any breach of the nature specified in clause 22 g stated above, TPWODL shall have the right to terminate all the contracts TPWODL is having with the Associate by issuing termination notice which shall be without prejudice to the other rights of TPWODL available to it under law.

Without prejudice to its right to terminate for breach of contract, TPWODL may, without assigning any reason, terminate the Contract in whole or in part at any time at its discretion while the contract is in force by serving a written notice of two weeks to the Associate.

In the event of TPWODL having proceeded with termination of the contract the associate shall comply and proceed further in the following manner:

- a) Associate shall discontinue the supply, on the expiry of the said period of two weeks.
- b) Associate shall ensure that no further steps are being taken towards discharge of the obligations, terms and conditions as contained in the contract/PO. This shall include initiation of actions not limited to discontinuation of other allied and associated arrangements which the associate might have entered into with third parties for due discharge of its obligations under the contract with TPWODL.
- c) The Associate shall perform thereafter such tasks as may be necessary to preserve and protect the terminated portion of the material/service/work in progress and the materials and equipment at TPWODL sites or in transit thereto. However the associate shall continue to fulfill its contractual obligations with regard to the part of contract not terminated.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 22 of 44

- d) It shall be open for TPWODL to conduct a joint assessment with the associate of the material, supplies, equipment, works or in general as to the subject matter of the contract in regard to which the associate claims having completed its obligations before or during such termination.
- e) It shall be open to TPWODL to seek invocation of the performance bank guarantee or any other guarantee or other security deposit by whatever name called submitted by the associate, which shall not be objected to or protested against by the associate.

In case of termination of the contract the parties agree to be governed inter alia by the following:

- a) In case TPWODL exercises its right of termination as stated above the associate shall not dispute or object to the same.
- b) The Associate shall be entitled to receive and claim only such payments OR sums of money from TPWODL as may be found payable to it in regard to works executed by it under the terms of the contract and no other claim of any nature whatsoever shall be made by the Associate.
- c) All such provisions which the parties have agreed to survive and prevail even after termination of the contract shall remain effective despite the termination.

In the event of such termination, TPWODL may finish the Work by whatever method it may deem expedient, including the hiring of services and /or purchase of material equipment from such third parties as TPWODL may deem fit or may itself provide any labor or materials and perform any part of the Work. The associate undertakes to bear the incremental costs if any paid by TPWODL in such a case attributable to failure on the part of the associate. The Associate in such a case shall not be entitled to receive any further payments and any sums found payable to it may be adjusted by TPWODL against the amount recoverable from him on this ground. The same shall be without prejudice to other rights available to TPWODL under law against the associate.

Upon the termination of any of the contract due to occurrence of any circumstances provided in clauses stated above and constituting repeated breach or misconduct, TPWODL shall be entitled to bar the associates its agents, affiliates from undertaking any negotiation / tendering, bidding, participation activities concerning TPWODL for a period of two years from date of such termination. The same shall be without prejudice to other rights available to TPWODL.

22.2 Termination for Convenience of Associate

Associate at its convenience may request for termination of contract, clearly assigning the reason for such request. TPWODL has full right to accept, reject or partially accept such request. However, associate shall continue its supply as per contract till final approval is given to associates for such termination.

22.3 Termination for Convenience of TPWODL

TPWODL at its sole discretion may terminate the contract by giving 30 days prior notice in writing or through email to the Associate. TPWODL shall pay the Associate for all the supplies/services rendered till the actual date of contract termination against submission of invoice by the Associate to that effect.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 23 of 44

23.0 DISPUTE RESOLUTION & ARBITRATION

In case of any dispute or difference the parties shall endeavor to resolve the same through conciliatory and amicable measures within 15 Days failing which the matter may be referred by either party for resolution by the sole arbitrator to be appointed mutually by both the parties. The arbitral proceedings shall be conducted in accordance with Arbitration and Conciliation Act 1996 and the place of arbitration shall be Sambalpur. The language to be used at proceedings shall be English and the award of the arbitrator shall be final and binding on the parties. The parties shall bear their respective costs of arbitration. The associate shall continue to discharge its obligations towards due performance of the works as per the terms of the contract during the arbitration proceedings unless otherwise directed in writing by TPWODL or suspended by the arbitrator. Further, TPWODL shall continue making such payments as may be found due and payable to the associate for such works.

23.1 Governing Laws and Jurisdiction

The parties shall be subject to the jurisdiction of the courts of law in Sambalpur and any matter arising here from shall be subject to applicable law in force in India.

24.0 ATTRIBUTES OF GCC

24.1 Cancellation

The Company reserves the right to cancel, add, delete at its sole discretion, all or any terms of this GCC or any contract, order or terms agreed between the parties in pursuance without assigning any reasons and without any compensation to the Associates.

24.2 Severability

If any portion of this GCC is held to be void, invalid, or otherwise unenforceable, in whole or part, the remaining portions of this GCC shall remain in effect.

24.3 Order of Priority

In case of any discrepancies between the stipulations in General Conditions of the Contract (GCC) and Special Conditions of Contract (SCC), the GCC shall stand superseded by the SCC to the extent stipulated hereinabove while balance portion of respective clauses of GCC shall continue to be applicable.

25.0 ERRORS AND OMISSIONS

The Associate shall be responsible for all discrepancies, errors and omissions in the drawings, documents or other information submitted by him, irrespective of whether these have been approved, reviewed or otherwise accepted by the TPWODL or not. However any error in design/drawing arising out of any incorrect data/written information from TPWODL will not be considered as error and omissions on part of the Associate.

26.0 TRANSFER OF TITLES

The title of ownership and property to all equipment, materials, drawings & documents shall pass to the TPWODL on acceptance of material by store/site after Inspection.

However, such passing of title of ownership and property to the TPWODL shall not in any way absolve, dilute or diminish the responsibility and obligations of the Associate under this Contract including loss or damages and all risks, which shall vest with the Associate.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 24 of 44

27.0 INSURANCE

The Contractor shall take out the Insurance Policies which shall cover all risks including the following, as applicable:-

- The value of the policy shall cover the total value of all the items till they are handed over to TPWODL.
- b) TPWODL shall be the principal holder of the policy. The Associate shall be the loss payee under the policy. Associate / Sub-contractor of the Associate shall not be holders or beneficiaries in the policy nor shall they be named in the policy. TPWODL reserves the exclusive right to assign the policy.
- c) While the payment of premium may be phased in agreement with the insurance company, at no time shall goods and services required to be provided by the associate shall remain uninsured in accordance with (a) above.
- d) A copy of the Insurance policy shall be made available to TPWODL prior to first dispatch lot of any Equipment and policy shall be kept alive and valid at all times up to the stage of final acceptance.
- e) TPWODL reserves the right to take out whatever policy that is deemed necessary by him if the associate fails to keep the said policy alive and valid at all times and/or causes lapses in payment of premium thereby jeopardizing the said policy. The cost of such policy(s) shall be recovered / deducted from the amount payable to the associate.
- f) The policy shall ensure that the TPWODL's decision regarding replacement of goods damaged, lost or rendered unusable shall be final.

In all cases, the associate shall lodge the claims with the underwriters and also settle the claims and shall also notify TPWODL of any filed claims. However, the associate shall proceed with the repairs and/or replacement of the equipment/components without waiting for the settlement of the claims. In case of seizure of materials by concerned authorities, the associate shall arrange prompt release against bond, security or cash as required. TPWODL, upon request by the associate, will extend all reasonable assistance to the associate in such a case.

All the insurance claims shall be processed and settled by the associate and the missing/damaged items shall be replaced/repaired by them without any extra cost to TPWODL and without affecting the completion time.

28.0 SUGGESTIONS & FEEDBACK

We welcome all our Business Associates to write to us about their experience with TPWODL; be it our Company, our services or our people. Each and every concern, issue, query and suggestion from you will help us to become a better company to work with and shall help us develop a strong bonding of trust and a long term relationship with you.

You may send your feedback by filling up our Business Associate Feedback Form enclosed herewith as *Annexure-I*. You can also log on to our website www.tatapower.com to provide your feedback.

- Suggestions for us
- Feedback form
- Knowledge Sharing/ Experience with TPWODL

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 25 of 44

• Any issues with TPWODL.

Submission of feedback form is mandatory before the release of final payment to the BA.

29.0 CONTACT POINTS

In case Business Associate needs information with respect to payments or has any grievances, same may be lodged by log on to our website www.tatapower.com

30.0 LIST OF ANNEXURES

S. No.	Subject	Annexure
1.	Performa for Bid Security Bank Guarantee	A
2.	Performa for Performance Bank Guarantee (CP cum EP)	В
3.	Performa for No Demand Certificate by Associate	С
4.	Performa For Application For Issuance of Consolidated TDS Certificate	D
5.	Business Associate Feedback Form	E
6.	Acceptance Form For Participation In Reverse Auction Event	F
7.	Form for RTGS Payment	G
8.	Vendor Appraisal Form	Н
9.	Manufacturer Authorization Form	I

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 26 of 44

ANNEXURE-A PROFORMA FOR BID SECURITY BANK GUARANTEE

TP Western Odisha Distribution Ltd Burla

WHEREAS, (Name of the Bidder)				
(hereinafter called "the BIDDER") has submitted h	nis bid			for the
(Name of Contract)		_ (hereinafter c	alled tr	пе вір).
KNOW ALL men by these presents	we	(Name	of	the
Bank)	of	(Name	of	the
Country)		having our	regist	tered
office at(hereinafter	called "1	the BANK) are I	ound ι	unto The
TP Western Odisha Distribution Ltd (TPWODL) in the	sum of			for
which payment well and truly to be made to the TPW0	ODL the	Bank binds him	າself, hi	S
successors and assigns by these presents.				
SEALED with the Common Seal of the said Bank this		_ day of	20	0
The CONDITIONS of this obligation are:				
 i) If the Bidder withdraws his Bid during the period o of Bid or 	f bid val	idity specified ir	n the Pr	oforma

We undertake to pay the TPWODL upto the above amount upon receipt of its first written demand, provided that in its demand the TPWODL will note that amount claimed by it is due to it owing to the occurrence of one or both conditions, specifying the occurred condition or conditions.

ii) If the Bidder having been notified of the acceptance of his Bid by the TPWODL during the

period of bid validity fails or refuses to furnish the Contract Performance Bank

Guarantee, in accordance with the Instructions to Bidders.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 27 of 44

This Guarantee will remain in force upto and including the date (No of days as mentioned in tender enquiry) days after the closing date of submission of bids as stated in the Invitation to Bid or as extended by you at any time prior to this date, notice of which extension to the Bank being hereby waived, and any demand in respect thereof should reach the Bank not later than the above date.

DATE		SIGNATURE OF THE BANK	
WITNESS		SEAL	
(Signature	Name & Address) (At le	east 2 witnesses)	

ANNEXURE-B

<u>PROFORMA FOR PERFORMANCE BANK GUARANTEE (CP cum EP)</u>

	PROFORMATOR PERFORMANCE BANK GUARANTEE (CF CUIII EF)
	(On Rs.100/- Stamp Paper) Note:
a) b) c)	Format shall be followed in toto Claim period of one month must be kept up The guarantee to be accompanied by the covering letter from the bank confirming the signature to the guarantee
	TP Western Odisha Distribution Ltd
	Burla
	CP cum EP BG No
	Order/Contract Nodated
-	You have entered into a Contract No with M/s
2	(hereinafter referred to as "the Vendor") for the supply cum erection / civil work of
3	B. In consideration thereof, we,

percent) of the total value of the contract on receipt of your intimating that "the

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 28 of 44

Vendor" has not fulfilled his contractual obligations. You shall be the sole judge for such non-fulfillment and "the Vendor" shall have no right to question such judgment.

- 4. You shall have the right to file / make your claim on us under the guarantee for a **further period of one month** from the date of expiry.
- 5. This guarantee shall not be revoked without express consent and shall not be affected by your granting time or any other indulgence to "the Vendor", which shall include but not be you as in an ar remedy as obligations under the complete limited to, postponement from time to time of the exercise the same in you or any right which you may have against "the Vendor" and to exercise the same in any covenant contained or implied in the said contract or any other course or remedy or security available to you, and our Bank shall not be released from its obligations under this

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 29 of 44

your exercising any of your rights with reference to matters aforesaid or any of them or by reasons of any other act or forbearance or other acts of omission or commission on your part or any other indulgence shown by you or by any other matter or thing whatsoever which under the law would, but for this provision have the effect of relieving our bank from its obligation under this guarantee.

- 6. We also agree that you shall be entitled at your option to enforce this guarantee against our bank as a principal debtor, in the first instance, notwithstanding any other security or guarantee that you may have in relation to "the Vendor's" liabilities in respect of the premises
- 7. This guarantee shall not be affected by any change in the constitution of our Bank or "the Vendor" or for any other reason whatsoever.
- 8. Any claim / extension under the guarantee can be lodge-able at outstation banks or at Sambalpur branch and claim will also be payable at Sambalpur Branch (to be confirmed by Sambalpur Branch by a letter to that effect in case BG is from the branch outside Sambalpur).

Notwithstan	ding anything herein contained,	our liability under this	guarantee is limited to
Rs	(Rupees	Ca	
only and the	e guarantee will remain in ford	ce upto and including	(Date) and
shall be exte	ended from time to time for suc	ch period or period as	may be desired by "the
Vendor".			
10. Unless a de	emand or claim under this guar	rantee is received by i	us in writing within one
months from	n (expiry date) i.e	e. on or before	(claim period
end date), w	e shall be discharged from all li	abilities under this gua	rantee thereafter.
Dated at	this	day of	20
	O	,	
12			
	Bank's rub	ober stamp	
1. Banks fu	ıll address		
		De	signation of Signatory

2. Bank official number

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 30 of 44

ANNEXURE-C

PROFORMA FOR "NO DEMAND CERTIFICATE" BY ASSOCIATE

(On Company's Letter head or with Company Seal)
(To be submitted by the Associate to TPWODL Accounts Department at the time of receipt of full and final payment)

(Certificate No. CCP/002)

Name of the Project Order/ Contract No.	
Dated	
Name of the Associate Scheme	60,
No. / Job No.	
We, M/sacknowledge and confirm that we have received to us from TPWODL, in respect of ou dated including amendments, if satisfaction and we further confirm that we TPWODL under the said contract / W.O. Notwithstanding any protest recorded by uneasurement books and / or final bills etc., we	any, issued by TPWODL to our entire have no claim whatsoever pending with us in any correspondence, documents,
protest in future under this contract.	wave an ear righte to loage any claim of
We are issuing this "NO DEMAND CERTIF knowledge and with our free consent without coercion etc.	
Place	Name
	(Company Seal)

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 31 of 44

ANNEXURE-D

$\frac{ PROFORMA \ FOR \ APPLICATION \ FOR \ ISSUANCE \ OF \ CONSOLIDATED \ TDS}{ CERTIFICATE}$

To be printed on the letterhead

To,	
The TP Weste	ern Odisha Distribution Ltd,
Burla	
Sub: Applica	tion for issuance of Consolidated TDS Certificate for the FY
Dear Sir,	
financial year	request / authorize you to issue me / us a consolidate TDS Certificate for the against tax deducted at source by you from my / our payments / bills id year from time to time under Chapter XVII – B of the Income Tax Act, 1961 shalf of
Signature	
Name	
Address	
Contact No.	(Land Line)
	(Mobile)
PAN#	
Assessing au	thority

ATTACH THE COPY OF PAN CARD

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 32 of 44

ANNEXURE-E

BUSINESS ASSOCIATE FEEDBACK FORM

With an objective to improve our internal processes and systems, and serve you better, we solicit your valuable feedback & suggestions. It is estimated that it will take about 10 minutes to complete this survey. We assure you that your feedback shall be kept confidential. Please send the duly filled feedback form in the "TPWODL addressed - attached envelop"

You are associated with us as	
☐ OEMs ☐ Service Contractor ☐ Material Supplier	rs 🗆 Material & Manpower Supplier
	1 Ph
You are associated with us for	
☐ Less than 1 year ☐ More than 1 year but less that	n 3 years 🗖 More than 3 years
	, 0
Your office is located at	
☐ Sambalpur ☐ Within 200 kms from Sambalpur	☐ More than 200 kms from Sambalpur
Your nearly turnover with TPWODL	
☐ Less than 25 Lacs ☐ 25 Lacs to 1 Crore	☐ More than 1 Cr.
Additional Information	
Your Name	
Your Designation	
Your Organization	
Contact Nos.	
Email	

We once again thank you for your participation in this survey. Please spare 10 minutes to give your feedback on following pages (Section A to E)

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 33 of 44

SECTION - A

(Please $\sqrt{\ }$ mark in the relevant box and give your remarks / suggestions / information for our improvement).

I	vernent).						
		1	2	3	4	5	
S. No.	Parameters	Do Not Agree	Slightly in Agreement	In Fair Agreement	Mostly in Agreement	Fully Agree	Remarks/ Suggestion
1	You receive all relevant queries / tenders from us in timely manner.						
2	We provide you enough lead time to respond to our queries / tenders.						
3	We provide you adequate support (drawings, documents, clarifications, briefing etc.) to enable you meet our requirements.					5)
4	All following elements of our contract / purchase order are rational :						
4.1	Scope of Work				•		
4.2	Delivery / Execution Schedule	4	1				
4.3	Payment Terms		1				
4.4	Liquidated Damages						
4.5	Performance Guarantee						
5	Our purchase orders / contracts are simple, specific & easy to understand						
6	TPWODL demonstrate willingness to be flexible in administration of Contract / Purchase Order						
7	We provide timely responses / clarifications to your queries						
8	TPWODL representative you interact / coordinate with is adequately empowered to support you in meeting contractual obligations						
9	TPWODL provide you all necessary infrastructure support for timely and quality completion of work (including AMC)						
10	TPWODL Engineer-in-Charge timely certifies the jobs executed/ material supplied						
11	TPWODL Engineer-in-Charge efficiently supervises the job execution for timely completion of job						
12	BIRD (Bill Inward Receipt Desk) initiative has improved payment disbursement process						

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 34 of 44

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS		
Rev. No	0	Page 35 of 44	

SECTION - B

SECTION-B (Please rate the following parameters on a scale of 1 to 5, where 1 - Minimum; 5 - Maximum)

S. No.	Parameters	1	2	3	4	5	Remarks/ Suggestion
1	How do you rate courtesy/ empathy/ attitude level and warmth of TPWODL employees you interact with from following team?						
1.1	Project Engineering						
1.2	District / Zones						. ()
1.3	Projects/HOG (TS &P)						
1.4	Inspection & Quality Assurance						
1.5	Stores						
1.6	Metering & Billing						
1.7	Accounts / Finance						
1.8	Administration						
1.9	IT & Automation	C					
2	How would you rate TPWODL in comparison to your other clients in terms of fairness of treatment and transparency with its Business Associates?	5					
3	How would you rate TPWODL in comparison to your other clients in terms of processes and systems to manage partnership with its Business Associates						
4	How would you rate TPWODL in comparison to your other clients in terms of building long term & mutually relationship with its Business Associates						

SECTION - C

Please $\sqrt{}$ mark in the relevant box and give your remarks / suggestions / information for our improvement.

S. No.	Parameters	Certainly No	Probably No	Certainly Yes	Probably Yes	Remarks/ Suggestion
1	Based on your experience with TPWODL, would you like to continue your relationship with TPWODL?					
2	If someone asks you about TPWODL, would you talk "positively" about					

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	0	Page 36 of 44

Would you refer TPWODL name to others in your		TPWODL?			
3 community, fraternity and society as a professional & dynamic organization?	3	TPWODL name to others in your community, fraternity and society as a professional &			

SECTION - D

If we ask you to rate us on a scale of 1 to 10, how will you rate TPWODL, that truly represents your overall satisfaction with us (please tick appropriate box) -

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

SECTION - E

Please $\sqrt{\text{ mark in the relevant box and give your remarks } / \text{ suggestions } / \text{ information for our improvement.}$

Please spare your thoughts for TPWODL's improvement in particular areas of weaknesses, particularly relating to some great practices, attitudes that you have seen elsewhere in Indian and International Organizations, which you recommend TPWODL to adopt. Please give your valuable salient recommendations.

Please spare your thoughts for TPWODL's improvement in particular areas of major concerns for you. We also welcome your suggestions to adopt any best practices, altitudes that you

Recommendation	Please tick $()$ your top 5 expectations out of the following 10 points listed below -					
(Please list down improvement you expect from TPWODL)	Timely payment					
	Flexibility in Contracts/PO					
	Clarity in PO,s & Contracts					
2	Timely response to quarries					
	Timely certification of works executed					
3	Clarity in Specs, drawings, other docs etc.					
	Adequate information provided on website for tender notification, parties qualified etc.					
4	Timely receipt of material at site for execution					

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUF	PPLY ORDERS
Rev. No	0	Page 37 of 44

	Performance Guarantee/EMD released in time
5	Inspection & quality assurance support for timely job completion

We thank you for your time and courtesy!! **ANNEXURE-F**

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed and stamped by the bidder prior to participation in the auction event)

In a bid to make our entire procurement process more fair and transparent, TPWODL intends to use the reverse auctions through SAP-SRM tool as an integral part of the entire tendering process. All the bidders who are found as technically qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:

- 1. TPWODL shall provide the user id and password to the authorized representative of the bidder. (Authorization Letter in lieu of the same shall be submitted along with the signed and stamped Acceptance Form).
- 2. TPWODL will make every effort to make the bid process transparent. However, the award decision by TPWODL would be final and binding on the supplier.
- 3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of TPWODL, bid process, bid technology, bid documentation and bid details.
- 4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
- 5. In case of bidding through Internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs, power failure or any other reason shall not be the responsibility of TPWODL.
- 6. In case of intranet medium, TPWODL shall provide the infrastructure to bidders. Further, TPWODL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
- 7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out rightly rejected by TPWODL.
- 8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
- 9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at TPWODL site.
- 10. The prices submitted by a bidder during the auction event shall be binding on the bidder.
- 11. No requests for time extension of the auction event shall be considered by TPWODL.
- 12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all inclusive prices offered during conclusion of the auction event for arriving at Contract amount.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS			
Rev. No	16	Page 38 of 44		

ANNEXURE-G

			
To,			
DGM (Finance) The TP Western Odisha Distribution Ltd Burla			
Sub: e-Payments through National I Gross Settlement System (RTC		ectronic Fund Transfer (NEFT) OR Real Time	
Dear Sir,			
We request and authorize you to affect eas per the details given below:-	e-p	payment through NEFT/RTGS to our Bank Account	
Vendor Code	:		
Title of Account in the Bank	:		
Account Type	:		
		(Please mention here whether account is Savings/Current/Cash Credit)	
Bank Account Number	:	43	
		(0)	
Name & Address of Bank			
Bank Contact Person's Names	:		
Bank Tele Numbers with STD Code	:		
Bank Branch MICR Code	:		
		(Please enclose a Xerox a copy of a cheque. This cheque should not be a payable at par cheque)	
Bank Branch IFSC Code	:		1
		(You can obtain this from brench where you]
		(You can obtain this from branch where you have your account)	
Email Address of accounts person: (to send payment information)	:		

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS			
Rev. No	16	Page 39 of 44		

Name of the Authorized Signatory: :

Contact Person's Name:

Official Correspondence Address:

We confirm that we will bear the charges, if any, levied by our bank for the credit of NEFT/RTGS amounts in our account. Any change in above furnished information shall be informed to TPWODL well in time at our own. Further, we kept TPWODL indemnified for any loss incurred due to wrong furnishing of above information.

Thanking you,

For

(Authorised Signatory)

(Signature with Rubber Stamp)

Certification from Bank:

We confirm that we are enabled for receiving NEFT/RTGS credits and we further confirm that the account number (specify Bank a/c no.) of (Please mention here name of the account holder), the signature of the authorised signatory and the MICR and IFSC Code of our branch mentioned above are correct.

This also is certified that the above information is correct as per Bank record

(Manager's/ Officers Signature under Bank Stamp)

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 40 of 44

ANNEXURE-H VENDOR APPRAISAL FORM

то ве	SUBMITT	ED BY VENDOR (To be filled as applicable)	
VE	NDOR:		
1.0	DETA	AILS OF THE FIRM	
	1.1	NAME (IN CAPITAL LETTERS)	:
	1.2	TYPE OF CONCERN (PROPRIETARY) Partnership, Pvt. Ltd., Public Ltd. etc.	:
	1.3	YEAR OF ESTABLISHMENT	
	1.4	LOCATION OF OFFICE POSTAL ADDRESS TELEGRAPHIC ADDRESSES, TELEX NO. FAX NO.	
	1.5	LOCATION OF MANUFACTURING UNITS	:
		i) UNITS 1	:
		ii) OTHER UNITS	:
2.0	PROD	DUCTS MANUFACTURED	:
3.0	VERI	IOVER DURING THE LAST 3 YEARS (TO BE FIED WITH THE LATEST PROFIT & LOSS EMENT).	:
4.0	VALU	E OF FIXED ASSETS	:
5.0	NAMI	& ADDRESS OF THE BANKERS	:
6.0	BANK	GUARANTEE LIMIT	:
7.0	CREE	DIT LIMIT	:
8.0	TECH	INICAL	
	8.1	NO. OF DESIGN ENGINEERS (INDICATE NO. OF YEARS EXPERIENCE IN RELATED FIELDS)	:
4	8.2	NO. OF DRAUGHTS MEN	:
	8.3	COLLABORATION DETAILS (IF ANY)	:
0		8.3.1 DATE OF COLLABORATION	:
		8.3.2 NAME OF COLLABORATOR	:
		8.3.3 RBI APPROVAL DETAILS	:
		8.3.4 EXPERIENCE LIST OF COLLABORATOR	:
		8.3.5 DURATION OF AGREEMENT	:
	8.4	AVAILABILITY OF STANDARDS / DESIGN PROCEDURES / COLLABORATOR'S /	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 41 of 44

		DOCUMENTS (CHECK WHETHER THESE ARE LATEST/CURRENT	
	8.5	TECHNICAL SUPPORT, BACK-UP GUARANTEE, SUPERVISION, QUALITY CONTROL BY COLLABORATOR (WHEREVER ESSENTIAL). (THIS CLAUSE IS RELEVANT WHEN VENDOR'S EXPERIENCE IS INADEQUATE)	÷
	8.6	QUALITY OF DRAWINGS	:
9.0	MANU	JFACTURE	
	9.1	SHOP SPACE, LAYOUT LIGHTING, VENTILATION, ETC.	:
	9.2	POWER (KVA)	
		MAINS INSTALLED	
		UTILIZED	
		STANDBY POWER SOURCE	:
	9.3	MANUFACTURING FACILITIES (ATTACH LIST OF EQUIPMENT AS APPLICABLE)	:
		9.3.1 MATERIAL HANDLING	:
		9.3.2 MACHINING	:
		9.3.3 FABRICATION	:
		9.3.4 HEAT TREATMENT	:
		9.3.5 BALANCING FACILITY	:
		9.3.6 SURFACE TREATMENT PRIOR TO PAINTING/ COATING, POLISHING, PICKLING, PASSIVATION, PAINTING, ETC.	:
	9.4	SUPERVISORY STAFF	:
	9.5	ADEQUACY OF SKILLED LABOURS (MACHINISTS, WELDERS, ETC.)	:
	9.6	NO. OF SHIFTS	:
	9.7	TYPE OF MATERIAL HANDLED (SUCH AS CS, SS, ETC.)	
	9.8	WORKMANSHIP	:
U	9.9	MATERIAL IN STOCK AND VALUE	:
	9.10	TRANSPORT FACILITIES	:
	9.11	CARE IN HANDLING	:
10.0	INSPI	ECTION / QC / QA / TESTING	
	10.1	NUMBER OF PERSONNEL (INDICATE NO. OF YEARS OF EXPERIENCE)	:
	10.2	INDEPENDENCE FROM PRODUCTION	:

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 42 of 44

	40.0	AVAILABILITY OF PROCEDURAL WRITE	
	10.3	UP/QUALITY PLAN	:
	10.4	INCOMING MATERIAL CONTROL AND DOCUMENTATION	:
	10.5	RELIABILITY/REPUTATION OF SUPPLY SOURCES	:
	10.6	STAGE INSPECTION AND DOCUMENTATION	:
	10.7	SUB-ASSEMBLY & DOCUMENTATION	:
	10.8	FINAL INSPECTION AND DOCUMENTATION	:
	10.9	PREPARATION OF FINAL DOCUMENTATION PACKAGE	
	10.10	TYPE TEST FACILITIES	:01
	10.11	ACCEPTANCE TEST FACILITIES	
	10.12	CALIBRATION OF INSTRUMENTS AND GAUGES (WITH TRACEABILITY TO NATIONAL STANDARDS) (ATTACH LIST)	
	10.13	STATUTORY APPROVALS LIKE BIS, IBR, ETC.(AS APPLICABLE)	:
	10.14	SUB-VENDOR APPROVAL SYSTEM AND QUALITY CONTROL	:
	10.15	DETAILS OF TESTS CARRIED OUT AT INDEPENDENT RECOGNIZED LABORATORIES	:
		i) FURNISH LIST OF TESTS CARRIED OUT AND THE NAME OF THE LABORATORY WHERE THE TESTS WERE CONDUCTED	:
		ii) CHECK AVAILABILITY OF CERTIFICATES AND REVIEW THESE WHEREVER POSSIBLE	:
11.0	/ COM	RIENCE (INCLUDING CONSTRUCTION / ERECTION MMISSIONING) TO BE FURNISHED IN THE FORMAT CATED IN APPENDIX)	:
12.0	SALE	S, SERVICE AND SITE ORGANIZATIONAL DETAILS	:
13.0		TIFICATE FROM CUSTOMERS (ATTACH COPIES OF UMENTS)	:
14.0	POW	ER SITUATION	:
15.0	10-440	OUR SITUATION	:
16.0 *	/ IF YE	ICABILITY OF SC/ST RELAXATION (Y/N) S, SUPPORTING DOCUMENTS TO BE ATTACHED	
		ANIZATIONAL DETAILS PF NO	
17.0	2. E 3. I	ESI NO NSURANCE FOR WORK MAN COMPENSATION ACT NO	:
	4. E 5. I 6. S	ELECTRICAL CONTRACT LIC NO TCC / PAN NO BALES TAX NO NC TAX REG. NO	

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 43 of 44

1. FACTORY LICENSE
2. ANNUAL REPORT FOR LAST THREE YEARS
3. TYPE TEST REPORT FOR THE ITEM
4. PAST EXPERIENCE REPORTS
5. ISO CERTIFICATE –QMS, EMS, OHAS, SA
6. REGISTRATION OF SALES TAX
7. COPY OF TIN NO.
8. COPY OF SERVICE TAX NO.
9. REGISTRATION OF CENTRAL EXCISE
10. COPY OF INCOME TAX CLEARANCE.
11. COPY OF PF REGISTRATION
12. COPY OF ESI REGISTRATION
13. COPY OF INSURANCE FOR WORK MAN
COMPENSATION ACT NO
14. COPY OF ELECTRICAL CONTRACT LIC NO
15. COPY OF PAN NO
16. COPY OF WC TAX REGISTRATION
17. DOCUMENTS IN SUPPORT OF SC/ST RELAXATION
AT S.NO.16.0
18. GSTN CERTIFICATE

* Classification of BA s under SC/ST shall be governed under following guidelines:

- Proprietorship/ Single Ownership Firm: Proprietor of the firm should be from SC/ST community. Governing document shall be Proprietorship Deed.
- Partnership Firm: Only such firms shall qualify which have SC/ST partners holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Partnership Deed.
- Private Limited Company: Only such firms shall qualify which have SC/ST directors holding equal to or more than 50% of the total ownership pattern of the firm. Governing document shall be Memorandum of Understanding (MoU) and/or Article of Association (AoA).

NOTE: Certification from SC/ST Commission shall be required for deciding upon SC/ST status of a person.

Doc. Title	GENERAL CONDITIONS OF CONTRACT FOR SUPPLY ORDERS	
Rev. No	16	Page 44 of 44

ANNEXURE-I MANUFACTURER AUTHORIZATION FORM

(To be submitted on OEM's Letter Head)

	(10 be sublificed off OLIN 3 L	etter rieddy
Date:		
Tender Enquiry No.:		
To,		
Chief (Procurement & Sto	ores)	
The TP Western Odisha Burla	Distribution Ltd,	
Sir,		
factories at [address of C	for Bids indicated above, the	manufacturers of having s [name of bidder] to submit a Bid in a purpose of which is to provide the
to subsequently negotiate	e and sign the Contract.	
Conditions of Contract o		ty in accordance with the Specia the Tender Document, with respect Invitation for Bids.
services as per the Tend standard warranty on the inclusion / exclusion of p	der Document referred above materials supplied against the	ner fails to provide the necessary e, M/s <i>[name of OEM]</i> shall provide ne contract. The warranty period and nain same as defined in the contract puiry.
Yours Sincerely,		
For		
Authorized Signatory		



NIT No.: NIT: TPWODL/SA/O/SU/028

For Reference- User Manual e-Bidding & Auction (Ariba)

Property of TPWODL – Not to be reproduced without prior written permission of TPWODL



SUPPLIER MANUAL ANSWERING TO **E-BIDDING**

	Version 1.2
Company Confidential	DEC - 2020

INDEX

1 ACCESSING ARIBA SOURCING	3
2 VENDOR SCREEN	4
2.1.1 Review and Approve "Prerequisites"	5
2.1.2 Select Items or Lots	6
2.1.3 Entering Your Prebid	6
2.1.4.1 How to submit a price.	9
3 COMMUNICATING WITH TATA POWER BUYER DURING E-BIDDING	7
4 ARIBA TRAINING AND ARIBA SUPPORT	8
5 SUDDITED EDECLIENTLY ASKED OLIESTION	11


1- Accessing Ariba Sourcing

Step 1: You will get an invitation to your email from Ariba System. Keep this email, it contains your login Information and a direct link to Ariba.

Step 2: Click "Click Here" to access the Ariba Web Site.




Step 3: Supplier has to click on "Continue"



Step 4: The registration process only takes a few moments, with a simple one-page registration Define your password and secret question. Click "OK"



Step 5: If it's the first time you are invited to use UPM Ariba, you'll need to accept the "Participant Terms". Select "I accept the terms of this agreement". Click "Submit".




2 Vendor Screen - Submitting Your Answers / Proposal


2.1.1 If vendor goes through mail invitation then directly Screen 3.1.1 will appear, but if If you have used Ariba before and have already accessed an event for the buyer-specific account with your current log in ID, click the **Login** button to continue. Log in with your Ariba username and password in order to participate in the event OR you have to follow the following steps.


Step 1 - Log on supplier.ariba.com


Step 2 - Put your USER ID and Password in following screen





Step 3 - Go to "Ariba Proposals & Questionnaire".












3 Communicating with Tata Power Buyer during e-bidding

Step 1: Click "Compose Message".



Step 2: Compose Your Message and click "Send".




ARIBA TRAINING VIDEOS

Participating in a RFI or RFP on Ariba Network - https://www.youtube.com/watch?v=9 XXUaVyI7o


Support from Ariba - Supplier can raise the Ticket for "Support"

Here are the steps that Suppliers can follow for raising a ticket or requesting a call back from Support team. They can do so without logging in – pls follow the brief instructions given below.


1. Go to login page>Choose "Support" on the bottom right corner



2. Add query and press "Start" – After that, following screen will pop up where you can choose either Get Help by Email or Get Help by Phone.



3. Choose phone and add following basic details and you will get call back



If not by phone, they can ask for a response/support by email.

SUPPLIER FREQUENTLY ASKED QUESTIONS

If I registered on my buyer's Ariba Sourcing site in the past, do I need to register again?

<u>Answer-</u> Yes. Although you have registered on your buyer's Ariba Sourcing site in the past, registering on the Ariba Commerce Cloud is required. The registration process only takes a few moments, with a simple one-page registration. Registering on the Ariba Commerce Cloud gives you access to all your buyer relationships with one username and password.

What is the Ariba Commerce Cloud?

<u>Answer: -</u> The Ariba Commerce Cloud is your entry point to all of your seller solutions. Rather than managing log in information for multiple buyers' sites, you will have one log in and one account. This means fewer passwords to remember, easier user maintenance for your company, and a unified profile for your organization.

Do I need to add Product and Service Categories during registration?

<u>Answer:-</u>Yes; this is a required field. Product and Service Categories classify what your company sells, and the system uses this information to match potential business opportunities with your products and services.

Click **Add Product and Service Categories** to select one or more categories from the list of options. During registration, you only need to choose one category, preferably related to the event you are joining. You can add, refine, or remove categories any time after the registration process.

Do I need to add ship-to or service locations during registration?

<u>Answer: -</u> Yes; this is a required field. Ship-to or Service locations inform buyers where your company sells its products or provides its services, and the system uses this information to match potential business opportunities with your products and services.

Click Add Ship-to or Service Locations to select one or more sales territories from a list. You can add, refine, or remove ship-to or service locations any time after the registration process.

Additional Information: - D-U-N-S is a registered trademark of Dun & Bradstreet or its subsidiaries in the United States and other countries.

What is the difference between the Email and Username fields in my profile?

Answer: - The Email field represents the email address where you wish to receive email notifications. The Username field is the identifier that you use to access your account. The Username field must be in email format, but you do not have to use a valid email address.

Note: Leave the This is my username box checked if you want your email address to be the same as your username.

How do I participate in my buyer's event using an email invitation?

Answer: - Use the **Click here** link in the email notification to access the sourcing event.

While buyers might customize the email content you receive, all email invitations contain a link to access the event.

Depending on your previous experience with Ariba solutions, do one of the following to access the event after you click the link:

- If you are new user, click **Continue** on the welcome page. You continue to register an Ariba account to link with your buyer and participate in the event.
- If you have used Ariba before and have already accessed an event for the buyer-specific account with your current log in ID, click the Login button to continue. Log in with your Ariba username and password in order to participate in the event.
- If you already have an existing Ariba Network, Ariba Discovery, or Ariba Sourcing supplier account, but you have not accessed any events for the inviting buyer's site, use the Click here if you already have an Ariba Commerce Cloud, Ariba Discovery or Ariba Network account link. After clicking the link, log in with your existing account to move your information to your buyer's site.

Additional Information:- Registering an Ariba account provides you with a consolidated view of all your customer relationships. With this one profile, you can view business opportunities, participate in sourcing events, participate in contract negotiations, and manage orders, catalogs, and invoices.

Why doesn't the link in the email invitation to participate in a sourcing event work?

Answer:-If you cannot click the link, or the link does not open the log in page, highlight and copy the Uniform Resource Locator (URL), and then paste the URL into your web browser.

Can my company have multiple accounts?

Answer:-Your Company can have multiple Ariba accounts, depending on your business needs. For example, if your company has several locations around the world, you might want a separate account for each region.

Most companies choose to have one account with multiple customer relationships, which provides a centralized location to maintain their company profile information and all of their customer relationships.

How do I complete registration if my username already exists?

Answer: - This message means that you already have an Ariba Network, Ariba Discovery, or Ariba Sourcing supplier account registered under username you entered. You can either register ua new account by creating a new username, or access one of the following sites to request a password reset for the registered username:

- Ariba Network (This login page is used for all Ariba Network, Ariba Sourcing, or Ariba Contracts suppliers).
- Ariba Discovery login page

To reset your password, click the **Having trouble logging in?** Link on the Login page.

Nothing happens when I click Forgot Username and enter my email address

Issue: - Nothing happens when I click the **Forgot Username** link and enter my email address.

Cause: - After you submit your request to retrieve your username, the Ariba Network sends an email notification with usernames that match the email address you submitted.

Some possible reasons why you may not receive this username retrieval email notification:

- The email address on your account does not match the email address you entered when submitting the request.
- Your buyer-specific account was deactivated before you could move it to the Ariba Commerce Cloud. Generally, that means you probably have not participated in an event with that buyer for a while.

Solution: -

- To ensure you receive this email notification:
- Make sure you type the email address configured within your account.

If your buyer-specific account has been deactivated, contact your buyer to determine how to proceed.

Where is my password reset email?

Answer: - After you submit your request for a password reset, Ariba sends instructions to the email address associated with your account. If you didn't receive a password reset email, check the following scenarios to troubleshoot.

The username you entered is in the wrong format, or it isn't associated with the email address you are checking.

- Keep in mind, your username is in the format of a full email address, but it can be associated with any email address you entered previously.
- Your username is also case-sensitive.
- To confirm that you are using the correct username and format, return to the Ariba login page, and click the Having trouble logging in? link (Forgot Username if you're working in Ariba Discovery).
 - Choose I forgot my username, and click Continue.
 - Enter the email address associated with your account, and click Submit.

You will receive an email that lists the exact format of the username associated with the email you entered.

You entered the correct username, but you still didn't receive the password reset email notification.

- This can occur if the configured email address is different from the account you are checking.
- You might have multiple accounts for your company, so make sure you are attempting to access the correct account.

Your email configuration or company's security settings might also prevent you from receiving the password reset email. To find out, check your junk mail folder or email filter settings to verify that automated emails from Ariba are not blocked from your email account.

Why do I get this message on the SAP Ariba Login page: "The username and password pair you entered was not found"?

Answer: - You entered an incorrect Username or Password. You might receive this message if you entered a previous Username or Password. Remember that your Username has the format of an email address, and both the Username and Password are case sensitive.

Click the Having trouble logging in? Link on the Login page if you don't remember your log in information.