

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 1 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

STANDARAD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 2 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

CONTENTS

- 1.0 SCOPE
- 2.0 APPLICABLE STANDARDS
- 3.0 CLIMATIC CONDITIONS OF THE INSTALLATION
- 4.0 GENERAL TECHNICAL REQUIREMENTS
- 5.0 GENERAL CONSTRUCTIONS
- 6.0 NAME PLATE AND MARKING
- 7.0 TESTS
- 8.0 TYPE TEST CERTIFICATES
- 9.0 PRE-DESPATCH INSPECTION
- 10.0 INSPECTION AFTER RECEIPT AT STORE
- 11.0 GUARANTEE
- 12.0 PACKING
- 13.0 TENDER SAMPLE
- 14.0 TRAINING
- 15.0 QUALITY CONTROL
- 16.0 MINIMUM TESTING FACILITIES
- 17.0 MANUFACTURING ACTIVITIES
- 18.0 SPARES, ACCESSORIES AND TOOLS
- 19.0 DRAWING AND DOCUMENTS
- 20.0 GURANTEED TECHNICAL PARTICULARS
- 21.0 SCHEDULE OF DEVIATION

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 3 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

1. SCOPE:

This specification covers the technical requirements of design, manufacture, testing at manufacturer's works, packing and forwarding, supply, unloading of LT Pole Clamp at TPWODL stores/sites. Following equipment's / materials covered under the scope with all fittings, accessories and associated auxiliary equipment, mandatory spares which are required for efficient and trouble-free operation.

2. APPLICABLE STANDARDS:

The equipment covered by this specification shall unless otherwise stated, be designed, manufactured and tested in accordance with the latest editions of the following Indian, International standards / IEC and shall conform to the regulations of the local authorities.

IS 2062	Specification for Hot Rolled Medium and High Tensile Structural Steel
IS 800	General Construction in Steel – Code of Practice
IS 228	Method for Chemical Analysis of Steels
IS 808	Dimensions for Hot Rolled Steel, Beam, Column, Channel and Angle Sections
IS 1852	Specification for Rolling and Cutting Tolerances for Hot-Rolled Steel Products
IS 4759	Hot-Dip Zinc Coatings on Structural steel and other Allied Products-Specifications
IS 209	Specification of Zinc
IS 2629	Recommended Practice for Hot-Dip Galvanizing for Iron and Steel
IS 1387	General Requirements for the Supply of Metallurgical Materials
IS 814	Covered Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel
IS 1730	Dimensions for Steel Plates, Sheets, Strips and Flats for Structural and general engineering purposes
IS 9595	Metal arc welding of carbon and carbon manganese steels — Recommendations
IS 8910	General Technical Delivery Requirements for Steel and Steel Products

3. CLIMATIC CONDITIONS OF THE INSTALLATION:

The service shall be as follow:

- | | |
|---|-----------------|
| 1. Maximum altitude above sea level | 1,000m |
| 2. Maximum ambient air temperature | 50°C |
| 3. Maximum daily average ambient air temperature | 35°C |
| 4. Minimum ambient air temperature | 0°C |
| 5. Maximum temperature attainable by an object exposed to sun | 60°C |
| 6. Maximum relative humidity | 95% |
| 7. Average number of thunderstorms per annum | 70 |
| 8. Average number of rainy days per annum | 120 |
| 9. Rainy months | June to October |
| 10. Average annual rainfall | 150cm |
| 11. Maximum Wind velocity | 200 km/hr. |

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 4 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

12. Earthquakes of an intensity in horizontal direction - equivalent to seismic acceleration of 0.3g
13. Earthquakes of an intensity in vertical direction - equivalent to seismic acceleration of 0.15g
(g being acceleration due to gravity)

Environmentally, some of the regions, where the work will take place includes hilly areas, subject to high relative humidity, which can give rise to condensation. Atmosphere is generally laden with mild acid and dust due to industrial activities. Some places are in heavily industrial polluted areas. On occasions, the combination of humid, acidic and dust condensation may create pollution conditions for outdoor equipment's. Therefore, outdoor materials and equipment's shall be designed and protected for use exposed, heavily polluted, acidic, corrosive, tropical and humid atmosphere.

4. GENERAL TECHNICAL REQUIREMENTS:

SL. NO.	PARAMETERS	STANDARD VALUES
1	Material Description	Pole Clamp
2	Material	MS Flat
3	Galvanization process	Hot-Dip Galvanized
4	Relevant Standard	IS: 2062, IS: 2633, IS: 2629
5	Dimension of section	50x6 mm
6	Unit Weight	To be specified by bidder
7	Grade of Steel	E 250A
8	Minimum Tensile Strength	410 N/mm ²
9	Yield Stress	250 N/mm ²
10	Percentage Elongation (Min.) at Gauge Length	23%
11	Bend Test (Internal Dia)	Min-2t
12	Mass of Zinc coating	705 gm/m ²
13	Zinc coating thickness	100 micron (6 Dip)
14	Chemical composition	Grade E 250 (As per IS: 2062)
15	General Tolerance in Dimensions & Weight	As per IS 1852
16	Marking/ Embossing	TPWODL, Manufacture's name or trademark, Month & Year of Manufacturing.

5. GENERAL CONSTRUCTION:

5.1. GENERAL MANUFACTURING REQUIREMENTS:

5.1.1 All finished steel shall be well and cleanly rolled to the dimensions, sections and masses specified. The finished material shall be reasonably free from surface flaws; laminations; rough/jagged and imperfect edges and all other harmful defects.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 5 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

5.1.2. Minor surface defects may be removed by the manufacturer/supplier by grinding provided.

5.1.3. Welding shall carry out by approved procedure by competent operators with approved

5.1.4. electrodes and that the welding is ground smooth to the correct nominal thickness; and Zinc Coating shall be applied by hot-dip galvanizing on steel products fabricated or assembled as specified in IS 4759.

5.1.5. Zinc coating shall be uniform, adherent, reasonably smooth and free from such imperfections as flux, ash bare patches, black spots, pimples, lumpiness, runs, rust stains, bulky white deposits and blisters.

5.2. APPROVED MAKES:

TATA Steel, SAIL, Jindal, RINL. In addition, these makes, bidder may also supply material of other makes (having ISI Certification) subject to successful testing for tests specified in Clause 7.0. Sampling in this regard shall be done jointly along with TPWODL representative and testing shall be got done from govt. approved laboratories

Zinc for Galvanization: Hindustan Zinc, Vedanta.

6. NAME PLATE AND MARKING:

Not Applicable

7. TESTS:

All routine, acceptance & type tests shall be carried out in accordance with the relevant IS/IEC.

All routine/acceptance tests shall be witnessed by the purchaser/his authorized representative. All components shall also be type tested as per the relevant standards.

Tests	IS to be referred
Visual test	As a routine test
Dimensional tests	As per the drawing
Tensile strength	IS 2062
Bend test	IS 2062
Impact test	IS 2062
Hot dip galvanizing	IS 4759: 1996

8. TYPE TEST CERTIFICATES:

1. The bidder shall furnish the type test certificates as mentioned above as per the corresponding standards.
2. All the tests shall be conducted at CPRI / ERDA as per the relevant standards.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 6 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

3. Type tests should have been conducted in certified Test laboratories during the period not exceeding 5 years from the date of opening the bid.
4. In the event of any discrepancy in the test reports, i.e., any test report not acceptable same shall be carried out without any cost implication to TPWODL.
5. Bidder shall submit the Test Reports for the Tree Retardant properties of the insulation.

9. PRE-DISPATCH INSPECTION:

1. Material shall be subject to inspection by a duly authorized representative of TPWODL.
2. Inspection may be made at any stage of manufacture at the option of the purchaser and the equipment if found unsatisfactory as to workmanship or material, the same is liable to rejection.
3. Bidder shall grant free access to the places of manufacture to TPWODL's representatives at all times when the work is in progress.
4. Inspection by TPWODL or authorized representatives shall not relieve the supplier of his obligation of furnishing equipment in accordance with the specifications.
5. Material shall be dispatched after specific MDCC (Material Dispatch Clearance Certificate) is issued by TPWODL.

Following documents shall be sent along with material:

- a) Test report
- b) MDCC issued by TPWODL
- c) Invoice in duplicate
- d) Packing list
- e) Drawings & catalogue
- f) Guarantee / Warrantee card
- g) Brought out (raw) material test certificates
- h) Delivery Challan
- i) Other Documents (as applicable)

10. INSPECTION AFTER RECEIPT AT STORES:

The material received at TPWODL, Odisha store shall be inspected for acceptance and shall be liable for rejection, if found different from the reports of the pre-dispatch inspection and one copy of the report shall be sent to "Network & Planning and Engineering" department

11.GUARANTEE:

1. Bidder shall stand guarantee towards design, materials, workmanship & quality of process/ manufacturing of items under the contract for due and intended performance of the same, as an integrated product delivered under this contract.
2. In the event any defect is found by the TPWODL, up to a period of 12 months from the date of commissioning or 24 months from the date of last supplies made under the contract, whichever is earlier, (the time scale of 12/24 months could be enhanced subject to mutual

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 7 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

agreements). Bidder shall be liable to undertake to replace/rectify such defects at his own costs. within mutually agreed timeframe, and to the entire satisfaction of the Purchaser, failing which the Purchaser will be at liberty to get it replaced/rectified at supplier's risks and costs and recover all such expenses plus the Company's own charges (@ 20% of expenses incurred), from the Bidder or from the "Security cum Performance Deposit" as the case may be. Bidder shall further be responsible for '**free replacement**' for another period of THREE years from the end of the guarantee period for any 'Latent Defects' if noticed and reported by the Purchaser

12. PACKING:

1. The equipment shall be packed in crates suitable for vertical/horizontal transport, as the case may be and suitable to withstand bundling during transport and outdoor storage during transit.
2. The supplier shall be responsible for any damage to the equipment during transit due to improper and inadequate packing. The easily damageable material shall be carefully packed and marked with the appropriate caution symbols. Wherever necessary, proper arrangement for lifting, such as lifting hooks etc., shall be provided.
3. Any material found short inside the packing cases shall be supplied by Supplier without any extra cost.
4. Each consignment shall be accompanied by a detailed packing, list containing the following information: -
 - a) Name of the consignee.
 - b) Details of consignment.
 - c) P.O Number
 - d) Destination
 - e) Total weight of consignment.
 - f) Handling and unpacking instructions.
 - g) Bill of material indicating contents of each package

The supplier shall ensure that the packing list and bill of material are approved by the purchaser before dispatch bidder shall ensure that all the equipment covered under this specification shall be prepared for rail/road transport so as to protect the equipment from damage in transit.

NOTE: Single use plastic not be used for packing of the material.

13. TENEDR SAMPLE:

Bidder shall submit the sample of material with the offer (in case of first supply to TPWODL).

14. TRAINING:

Not applicable

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 8 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

15. QUALITY CONTROL:

The bidder shall submit with the offer Quality assurance plan indicating the various stages of inspection, the tests and checks which will be carried out on the material of construction, components during manufacture and bought out items and fully assembled component and equipment after finishing. As part of the plan, a schedule for stage and final inspection within the parameters of the delivery schedule shall be furnished. TPWODL's engineer or its nominated representative shall have free access to the manufacturer's/sub-supplier's works to carry out inspections.

16. MINIMUM TESTING FACILITIES:

Bidder shall have adequate in-house testing facilities for carrying out all routine tests & acceptance tests as per relevant International / Indian standards.

17. MANUFACTURING ACTIVITIES:

The successful Bidder will have to submit the bar chart for various manufacturing activities clearly elaborating each stage, with quantity. This bar chart should be in line with the Quality assurance plan submitted with the offer. This bar chart will have to be submitted within 15 days from the release of the order. Manufacturing mass quantity to start only after getting approved drawings or as per intimation from TPWODL

18. SPARES, ACCESSORIES AND TOOLS:

Not Applicable

19. DRAWINGS AND DOCUMENTS:

Following drawings and documents shall be prepared based on TPWODL specifications and statutory requirements and shall be submitted with the bid:

- Completely filled in Technical Particulars
- General drawing arrangements
- Bill of material
- Type Test certificates.
- Brought out (raw material) test certificates
- Experience List

After the award of the contract four (4) copies of drawings, drawn to scale, describing the equipment in detail shall be forwarded for approval and shall subsequently provide four (4) complete sets of final drawings, one of which shall be auto positive suitable for reproduction, before the dispatch of the equipment. Soft copy of all the drawing, GTP, Test certificates shall be submitted after the final approval of the same to purchaser.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 9 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

Following drawings / documents shall be submitted by the bidder for Purchaser's approval.

Sl. No.	Description	For Approval	For Review Information	Final Submission
1	Technical Particulars	√		√
2	General Arrangement drawings	√		√
3	Manual / catalogue/drawings		√	
4	Installation /Commissioning Manuals (If any)		√	√
5	QA & QC Plan	√	√	√
6	Routine, Acceptance and Type Test Certificates	√	√	√
7	Brought out or Raw material test certificates		√	√

*All the documents & drawings shall be in English language.

Instruction Manuals:

Bidder shall furnish two softcopies and four (4) hard copies of nicely bound manuals (In English language) covering erection and maintenance instructions and all relevant information and drawings pertaining to the main equipment as well as auxiliary devices.

20. GUARANTEED TECHNICAL PARTICULARS:

SL. NO.	PARAMETERS	STANDARD VALUES
1	Material Description	To be provided by Bidder
2	Material	
3	Galvanization process	
4	Relevant Standard	
5	Dimension of section	
6	Unit Weight	
7	Grade of Steel	
8	Minimum Tensile Strength	
9	Yield Stress	
10	Percentage Elongation (Min.) at Gauge Length	
11	Bend Test (Internal Dia)	
12	Mass of Zinc coating	
13	Zinc coating thickness	
14	Chemical composition	
15	Dimensional Tolerance	
16	Engraved Marking (Punching before galvanization)	

Signature

Date

Designation

Seal of the Bidder

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL

TPWODL	TP WESTERN ODISHA DISTRIBUTION LTD	Page 10 of 11
DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

21. SCHEDULE OF DEVIATIONS:

(TO BE ENCLOSED WITH TECHNICAL BID)

All deviations from this specification shall be set out by the Bidders, clause by Clause in this schedule. Unless specifically mentioned in this Schedule, the tender shall be deemed to confirm the purchaser's specifications:

S. No	Clause No.	Details of deviation with justifications

We confirm that there are no deviations apart from those detailed above. Seal of the Company:

Signature of Bidder:

Name of the Company:

Date:

Office Seal:

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR


Property of TPWODL-Not to be reproduce without permission of TPWODL

DOCUMENT TITLE	STANDARD TECHNICAL SPECIFICATION FOR LT POLE CLAMP FOR I-HOOK	EFFECTIVE DATE 28/02/2022
DOCUMENT NO	TPWODL/ENGG/SPEC/120/2022	REVISION NO: R0

IF IN DOUBT, PLEASE ASK.

DO NOT SCALE

ALL DIMENSIONS ARE IN MM.



TECHNICAL DATA:-

1. ALL DIMENSION ARE IN MM UNLESS OTHERWISE MENTIONED.
2. ALL HOLES ARE $\varnothing 18\text{MM}$.
3. ALL MS ITEMS SHALL BE HOT DIP GALVANIZED TO IS : 2629 & 2633 .
4. DIMENSIONS ARE SUBJECT TO TOLERANCE AS PER TS/GTP.


 TP WESTERN ODISHA DISTRIBUTION LTD.									
TITLE:- 9 MTR PSC POLE CLAMP FOR EYE HOOK	<table border="1"> <thead> <tr> <th>NAME/SIGN</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>DRN R K Pradhan</td> <td></td> </tr> <tr> <td>CKD S K PATRA</td> <td></td> </tr> <tr> <td>REW A JAWASE</td> <td></td> </tr> </tbody> </table>	NAME/SIGN	DATE	DRN R K Pradhan		CKD S K PATRA		REW A JAWASE	
NAME/SIGN	DATE								
DRN R K Pradhan									
CKD S K PATRA									
REW A JAWASE									
DWG. NO:- TPWODL-ENG-021-003	APD. V BHATNAGAR								
REV NO:-	SCALE:-N/S								

THIS DRAWING IS A PROPERTY OF TP WESTERN ODISHA DISTRIBUTION LTD., COPYING OR REPRODUCTION SHOULD BE DONE ONLY WITH THE WRITTEN PERMISSION OF TPWODL.

IF IN DOUBT, PLEASE ASK.

DO NOT SCALE

ALL DIMENSIONS ARE IN MM.



TECHNICAL DATA:-

1. ALL DIMENSION ARE IN MM UNLESS OTHERWISE MENTIONED.
2. ALL HOLES ARE $\varnothing 18\text{MM}$.
3. ALL MS ITEMS SHALL BE HOT DIP GALVANIZED TO IS : 2629 & 2633 .
4. DIMENSIONS ARE SUBJECT TO TOLERANCE AS PER TS/GTP.

 TP WESTERN ODISHA DISTRIBUTION LTD.			
TITLE:- 8 MTR PSC POLE CLAMP FOR EYE HOOK		NAME/SIGN	DATE
	DRN	R K Pradhan	
	CKD	S K PATRA	
	REW	A JAWASE	
DWG. NO:-	TPWODL-ENG-021-003	APD	V BHATNAGAR
REV NO:-	SCALE:-NTS		

THIS DRAWING IS A PROPERTY OF TP WESTERN ODISHA DISTRIBUTION LTD., COPYING OR REPRODUCTION SHOULD BE DONE ONLY WITH THE WRITTEN PERMISSION OF TPWODL.

PREPARED BY	REVIEWED BY	APPROVED BY
SANTOSH K PATRA	ANUP JAWASE	VARUN BHATNAGAR

Property of TPWODL-Not to be reproduce without permission of TPWODL